

Product datasheet for SC106319

HLA (BC008403) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	HLA (BC008403) Human Untagged Clone
Tag:	Tag Free
Symbol:	HLA
Synonyms:	DRB1; DRw10; HLA-DR1B; HLA-DRB; SS1
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC106319 sequence for BC008403 edited (data generated by NextGen Sequencing)

```

ATGGTGTGTCTGAGGCTCCCTGGAGGCTCTGCATGGCAGTTCTGACAGTGACACTGATG
GTGCTGAGCTCCCACTGGCTTTGGCTGGGGACACCAGACCACGTTTCTTGGAGTACTCT
ACGTCTGAGTGTCATTTCTCAATGGGACGGAGCGGGTGCGGTTCTGGACAGATACTTC
TATAACCAAGAGGAGTACGTGCGCTTCGACAGCGACGTGGGGGAGTTCGGGCGGTGACG
GAGCTGGGGCGGCCTNNNNNAGTACTGGAACAGCCAGAAGGACATCCTGGAAGACGAG
CGGGCCGCGGTGGACACCTACTGCAGACACAACACTACGGGGTTGNNNAGAGCTTCACAGT
CAGCGCGAGTCCATCCTAAGGTGACTGTGTATCCTTCAAAGACCCAGCCCTGCAGCAC
CACAACCTCCTGGTCTGTTCTGTGAGTGGTTTCTATCCAGGCAGCATTGAAGTCAGGTGG
TTCCGGAATGGCCAGGAAGAGAAGACTGGGGTGGTGCCACAGGCCTGATCCACAATGGA
GACTGGACCTTCCAGACCTGGTGATGCTGGAAACAGTTCCTCGGAGTGGAGAGGTTTAC
ACCTGCCAAGTGGAGCACCCAAGCGTGACAAGCCCTCTCACAGTGAATGGAGAGCACGG
TCTGAATCTGCACAGAGCAAGATGCTGAGTGGAGTCGGGGGCTTTGTGCTGGGCTGCTC
TTCCTTGGGGCCGGGCTGTTCACTACTTCAGGAATCAGAAAGGACACTCTGGACTTCAG
CCAAGAGGATTCCTGAGCTGA

```

Clone variation with respect to BC008403.1

227 a=>t;256 a=>n;257 g=>n;258 c=>n;259 g=>n;260 c=>n;261 c=>n;298 a=>g;344 g=>n;345 t=>n;346 g=>n;357 g=>a



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for BC008403 unedited AGGAATTTGTAATACGACTCACTTATAGGGCGGCCGATTTCGGCACGAGGCTTGCTGC TGCTCTGGCCCCTGGTCTGTCTGTTCTCCAGCATGGTGTGTCTGAGGCTCCCTGGAGG CTCCTGCATGGCAGTTCTGACAGTGACACTGATGGTGTGAGCTCCCCACTGGCTTTGGC TGGGGACACCAGACCACGTTTCTTGGAGTACTCTACGTCTGAGTGCATTCTTCAATGG GACGGAGCGGGTCCGTTTCTGGACAGATACTTCTATAACCAAGAGGAGTACGTGCGCTT CGACAGCGACGTGGGGGAGTTCCGGGCGGTGACGGAGCTGGGGCGCCTGATGAGGAGTA CTGGAACAGCCAGAAGGACATCCTGGAAGACGAGCGGGCCGCGGTGGACACCTACTGCAG ACACAACCTACGGGGTTGTGGAGAGCTTACAGTGCAGCGCGAGTCCATCCTAAGGTGAC TGTGTATCCTTCAAAGACCCAGCCCCTGCAGCACCACAACCTCCTGGTCTGTTCTGTGAG TGGTTTCTATCCAGGCAGCATTGAAGTCAGGTGGTTCCGGAATGGCCAGGAAGAGAAGAA CTGGGTGGTGTCCACAGGCCTGATCCACAATGGAGACTGGACCTCCAGACCCTGGTGTGAT GCTGGAACAGTTCTCCGAGTGGAGAGGTTTACACCTGCCAAGTGGAGCACCCAAGCGT GACAAGCCCTCTACAGTGAATGGAGAGCACGGGTCTGATCTGCACNAGCAAGTGTGTA GTGGAGTCGGGGGCTTTGTGCTGGGCTGCTCTTCTGGGCCNGGGCTGTTTCATCTACT TCAGGATCAGAAAGGACTCTGNACTTCANCCAGAGGATTCTGANCTGAN
Restriction Sites:	NotI-NotI
ACCN:	BC008403
Insert Size:	1000 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC008403.1 , AAH08403.1
RefSeq Size:	1202 bp
RefSeq ORF:	801 bp
Locus ID:	3123
Cytogenetics:	6p21.32
Domains:	MHC_II_beta, ig, Igc1
Protein Families:	Transmembrane

Protein Pathways:

Allograft rejection, Antigen processing and presentation, Asthma, Autoimmune thyroid disease, Cell adhesion molecules (CAMs), Graft-versus-host disease, Hematopoietic cell lineage, Systemic lupus erythematosus, Type I diabetes mellitus, Viral myocarditis

Gene Summary:

HLA-DRB1 belongs to the HLA class II beta chain paralogs. The class II molecule is a heterodimer consisting of an alpha (DRA) and a beta chain (DRB), both anchored in the membrane. It plays a central role in the immune system by presenting peptides derived from extracellular proteins. Class II molecules are expressed in antigen presenting cells. The beta chain is approximately 26-28 kDa. It is encoded by 6 exons. Exon one encodes the leader peptide; exons 2 and 3 encode the two extracellular domains; exon 4 encodes the transmembrane domain; and exon 5 encodes the cytoplasmic tail. Within the DR molecule the beta chain contains all the polymorphisms specifying the peptide binding specificities. Hundreds of DRB1 alleles have been described and some alleles have increased frequencies associated with certain diseases or conditions. For example, DRB1*1302 has been related to acute and chronic hepatitis B virus persistence. There are multiple pseudogenes of this gene. [provided by RefSeq, Jul 2020]