

## **Product datasheet for SC109273**

## GH2 (NM 022557) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** GH2 (NM 022557) Human Untagged Clone

Tag: Tag Free

Symbol: GH2

Synonyms: GH-V; GHB2; GHL; GHV; hGH-V

Vector: pCMV6-XL4

E. coli Selection: Ampicillin (100 ug/mL)

Cell Selection: None

Fully Sequenced ORF: >NCBI ORF sequence for NM\_022557, the custom clone sequence may differ by one or more

nucleotides

Α

**Restriction Sites:** Please inquire ACCN: NM\_022557

**Insert Size:** 860 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Domains:** 

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube Components:

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 022557.2, NP 072051.1 RefSeq:

RefSeq Size: 1078 bp RefSeq ORF: 771 bp 2689 Locus ID: **UniProt ID:** P01242 Cytogenetics: 17q23.3

hormone **Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway, Neuroactive ligand-

receptor interaction

**Gene Summary:** The protein encoded by this gene is a member of the somatotropin/prolactin family of

> hormones which play an important role in growth control. The gene, along with four other related genes, is located at the growth hormone locus on chromosome 17 where they are interspersed in the same transcriptional orientation; an arrangement which is thought to have evolved by a series of gene duplications. The five genes share a remarkably high degree of sequence identity. Alternative splicing generates additional isoforms of each of the five growth hormones, leading to further diversity and potential for specialization. As in the case of its pituitary counterpart, growth hormone 1, the predominant isoform of this particular family member shows similar somatogenic activity, with reduced lactogenic activity.

Mutations in this gene lead to placental growth hormone/lactogen deficiency. [provided by

RefSeq, Jul 2008]

Transcript Variant: This variant (2) utilizes intron D to generate the longest isoform (2), which

diverges from all other GH isoforms in the carboxy terminus.