

Product datasheet for SC118836

H3.3A (H3F3A) (NM_002107) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	H3.3A (H3F3A) (NM_002107) Human Untagged Clone
Tag:	Tag Free
Symbol:	H3.3A
Synonyms:	H3-3B; H3.3A; H3F3; H3F3A
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC118836 sequence for NM_002107 edited (data generated by NextGen Sequencing)

```
ATGGCTCGTACAAAGCAGACTGCCCGCAAATCGACCGGTGGTAAAGCACCCAGGAAGCAA
CTGGCTACAAAAGCCGCTCGCAAGAGTGCGCCCTCTACTGGAGGGGTGAAGAAACCTCAT
CGTTACAGGCCTGGTACTGTGGCCTCCGTGAAATTAGACGTTATCAGAAGTCCACTGAA
CTTCTGATTTCGAAAACCTCCCTTCCAGCGTCTGGTGCAGAAAATTGCTCAGGACTTTAAA
ACAGATCTGCGCTTCCAGAGCGCAGCTATCGGTGCTTTGCAGGAGGCAAGTGAGGCCTAT
CTGTTGGCCTTTTTGAAGACACCAACCTGTGTGCTATCCATGCCAAACGTGTAACAATT
ATGCCAAAAGACATCCAGCTAGCACGCCGCATACGTGGAGAACGTGCTTAA
```

Clone variation with respect to NM_002107.4

5' Read Nucleotide Sequence: >OriGene 5' read for NM_002107 unedited

```
GCCGCGAATTCGGCACGAGCCGCTCTCGCTCGCCGAGCTCCAGCCGAAGGAGAAGGGGG
GTAAGTAAGGAGGTCTCTGTACCATGGCTCGTACAAAGCAGACTGCCCGCAAATCGACCG
GTGGTAAAGCACCCAGGAAGCAACTGGCTACAAAAGCCGCTCGCAAGAGTGCGCCCTCTA
CTGGAGGGGTGAAGAAACCTCATCGTTACAGGCCTGGTACTGTGGCCTCCGTGAAATTA
GACGTTATCAGAAGTCCACTGAACTTCTGATTTCGAAAACCTCCCTTCCAGCGTCTGGTGC
GAGAAATTGCTCAGGACTTTAAAACAGATCTGCGCTTCCAGAGCGCAGCTATCGGTGCTT
TGCAGGAGGCAAGTGAGGCCTATCTGGTTGGCCTTTTTGAAGACACCAACCTGTGTGCTA
TCCATGCCAAACGTGTAACAATTATGCCAAAAGACATCCAGCTAGCACGCCGCATACGTG
GAGAACGTGCTTAAGAATCCACTATGATGGGAAACATTTTCATTCTCAAAAAAAAAAAAAA
AAAANCTCGACTTAGAATTGCGGCCGCGGTATAGCTTGTTCCTGAACAGATCCCGGG
TGGCATCCCTGTGACCCCTCCCCAGTGCCTCTCCTGGCCCTGGAAGTTGCCACTCCAGTG
CCCACCAGCCTTGTCTAATAAAAATTAAGTGCATCATTTTGTCTGACTAGGTGTCCTTC
TATAATATATGGGGTGANGGGGGNGGGN
```



[View online »](#)

3' Read Nucleotide Sequence:	<p>>OriGene 3' read for NM_002107 unedited NCCCCATTACTTTGNACCGTCGGCCGCATNCTACGATCGAGTTTTTTTTTTTTTTTTTTTT GAGAATGAAATGTTTCCCATCATAGTGGATTCTTAAGCACGTTCTCCACGTATGCGGCGT GCTAGCTGGATGTCTTTTGGCATAATTGTTACACGTTTGGCATGGATAGCACACAGGTTG GTGTCTTCAAAAAGGCCAACAGATAGGCCTCACTTGCCTCCTGCAAAGCACCGATAGCT GCGCTCTGGAAGCGCAGATCTGTTTTAAAGTCTGAGCAATTTCTCGCACCAGACGCTGG AAGGGAAGTTTGGCAATCAGAAGTTCAGTGGACTTCTGATAACGCTAATTTACAGGAGC GCCACAGTACCAGGCCTGTAAACGATGAGGTTTCTTACCCTCCAGTAGAGGGCGCACTC TTGCGAGCGGCTTTTGTAGCCAGTTGCTTCTGGGTGCTTTACCACCGGTGCGATTGCGG GCAGTCTGCTTTGTACGAGCCATGGTACAGAGACCTCCTTACTTACCCCTTCTCCTTC GGCTGGAGCTCGGCGAGCGAGAGCGGCTCGTGCCGAATTCGCGGCCGCCCTATAGTGAG CTCCATTACAAAATTCTGACGGCTCACTAAACGAACTCTGCTTATATAGACCTCTCCCCG TACACCCCTACCCTCCATTTGCGTAACCGGGCGGGTTATTACTACCACTTTGCCAGTCC CTTTGATCTTCTGCCAAACAACTCCCTTTACCTCCATGGTGGTGGAGACCTCGCAA CCCCTTTATGCCACCCCTATCCCCCCCCAGCTTACTGCCACCCCTTTCCCAAGT CCCAGGCCCTTTATACCTATCATCTCCCATTCCCAACCCCTCGCCCCCTCT GCCT</p>
Restriction Sites:	NotI-NotI
ACCN:	NM_002107
Insert Size:	530 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_002107.3</u> , <u>NP_002098.1</u>
RefSeq Size:	1117 bp

RefSeq ORF: 411 bp

Locus ID: 3020

UniProt ID: [P84243](#)

Cytogenetics: 1q42.12

Domains: H3, histone

Protein Pathways: Systemic lupus erythematosus

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene contains introns and its mRNA is polyadenylated, unlike most histone genes. The protein encoded is a replication-independent member of the histone H3 family. [provided by RefSeq, Jul 2008]