

## Product datasheet for SC119126

### Prostate Specific Antigen (KLK3) (NM\_001648) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Prostate Specific Antigen (KLK3) (NM_001648) Human Untagged Clone
Tag:	Tag Free
Symbol:	Prostate Specific Antigen
Synonyms:	APS; hK3; KLK2A1; PSA
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC119126 sequence for NM_001648 edited (data generated by NextGen Sequencing)

```

ATGTGGGTCCCAGTTGTCTTCTCACCCCTGTCCGTGACGTGGATTGGTGTGACCCCTC
ATCCTGTCTCGGATTGTGGGAGGCTGGGAGTGCGAGAAGCATTCCAACCCTGGCAGGTG
CTTGTGGCCTCTCGTGGCAGGGCAGTCTGCGGCGGTGTTCTGGTGCACCCCAAGTGGGTC
CTCACAGCTGCCCACTGCATCAGGAACAAAAGCGTGATCTTGCTGGGTCGGCACAGCCTG
TTTCATCCTGAAGACACAGGCCAGGTATTTAGGTGAGCCACAGCTTCCCACACCCGCTC
TACGATATGAGCCTCCTGAAGAATCGATTCTCAGGCCAGGTGATGACTCCAGCCACGAC
CTCATGTGCTCCGCCTGTGAGCCTGCCGAGCTCACGGATGCTGTGAAGGTGATGGAC
CTGCCACCCAGGAGCCAGCACTGGGGACCACCTGCTACGCCTCAGGCTGGGGCAGCATT
GAACCAGAGGAGTTCTTGACCCAAAGAACTTCAGTGTGTGGACCTCCATGTTATTTC
AATGACGTGTGTGCGCAAGTTCACCTCAGAAGGTGACCAAGTTCATGCTGTGTGCTGGA
CGCTGGACAGGGGGCAAAGCACCTGCTCGGGTGATTCTGGGGGCCCACTTGTCTGTAAT
GGTGTGCTTCAAGGTATCACGTGATGGGGCAGTGAACCATGTGCCCTGCCCGAAAGGCT
TCCCTGTACACCAAGGTGGTGCATTACCGGAAGTGGATCAAGGACACCATCGTGGCCAAC
CCCTGA

```

Clone variation with respect to NM\_001648.2



[View online »](#)

<b>5' Read Nucleotide Sequence:</b>	>OriGene 5' read for NM_001648 unedited ATTTTGTATACGACTTACTATAGGGCGGCCGCAATTCGCACCAGCGGAGAGCTGTGTC ACCATGTGGGTCCCGTTGTCTTCTCACCCGTGCCGTGACGTGGATTGGTGCTGCACCC CTCATCTGTCTCGGATTGTGGGAGGCTGGGAGTGCAGAGAAGCATTCCCAACCCCTGGCAG GTGCTTGTGGCCTCTCGTGGCAGGGCAGTCTCGGGCGGTGTTCTGGTGCACCCCCAGTGG GTCCTCACAGCTGCCACTGCATCAGGAACAAAAGCGTGATCTTGCTGGGTCGGCACAGC CTGTTTCATCCTGAAGACACAGCCAGGTATTTTCAGGTCAGCCACAGCTTCCCACACCCG CTCTACGATATGAGCCTCCTGAAGAATCGATTCCCTCAGGCCAGGTGATGACTCCAGCCAC GACCTCATGCTGCTCCGCTGTGAGAGCCTGCCGAGCTCACGGATGCTGTGAAGGTCATG GACCTGCCACCCAGGAGCCAGCACTGGGGACCACCTGCTACGCCTCAGGCTGGGGCAGC ATTGAACCAGAGGAGTTCTTGACCCAAAGAACTTCAGTGTGTGGACCTCCATGTTATT TCCAATGACGTGTGTGCGCAAGTTCACCCTCAGAAGGTGACCAAGTTCATGCTGTGTGCT GGNACGCTGNACAGGGGCANAAGCACCTGCTCGGGTGATTCTGGGGGCCCACTTGTCTGT AATGGTGTGCTTCAAGGTATCACGTTATGGNGCAGTGAACCATGTGCCCTGCCGAAGGC CTTCCCTGTACACCAAGGGTGCATTACCGGAGTTGATAAAGGCCCATCGTGCCAACCCCT GAGCACCTTACTCCCTATTGTAGAAACCTGGACCCTTGAAATGACCAGCCCAAACT AGCCTCCCATTCTCTGACCTTGGCCTAGTGGGAGGCCCGGGTGTCTAGCAAAAACCC
<b>Restriction Sites:</b>	NotI-NotI
<b>ACCN:</b>	NM_001648
<b>Insert Size:</b>	2930 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001648.2</a> , <a href="#">NP_001639.1</a>
<b>RefSeq Size:</b>	1464 bp
<b>RefSeq ORF:</b>	786 bp
<b>Locus ID:</b>	354
<b>UniProt ID:</b>	<a href="#">P07288</a>
<b>Cytogenetics:</b>	19q13.33
<b>Domains:</b>	Tryp_SPc
<b>Protein Families:</b>	Druggable Genome, Protease, Secreted Protein

**Protein Pathways:** Pathways in cancer, Prostate cancer

**Gene Summary:** Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers. The gene is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. It encodes a single-chain glycoprotein, a protease which is synthesized in the epithelial cells of the prostate gland, and is present in seminal plasma. It is thought to function normally in the liquefaction of seminal coagulum, presumably by hydrolysis of the high molecular mass seminal vesicle protein. The serum level of this protein, called PSA in the clinical setting, is useful in the diagnosis and monitoring of prostatic carcinoma. Alternate splicing of this gene generates several transcript variants encoding different isoforms. [provided by RefSeq, Dec 2019]  
Transcript Variant: This variant (1) encodes the longest isoform (1) of this protein.