

Product datasheet for **SC305644**

Hexokinase 1 (HK1) (NM_033497) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Hexokinase 1 (HK1) (NM_033497) Human Untagged Clone
Tag:	Tag Free
Symbol:	Hexokinase 1
Synonyms:	hexokinase; HK; HK1-ta; HK1-tb; HK1-tc; HKD; HKI; HMSNR; HXK1; NEDVIBA; RP79
Vector:	<u>pCMV6 series</u>



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_033497, the custom clone sequence may differ by one or more nucleotides

```

ATGGGGCAGATCTGCCAGCGAGAATCGGCTACAGCAGCTGAAAAACAAAACCTTCATCTA
CTTGCTGAAAAGTGAAGATTGACAAGTATCTCTATGCCATGCGGCTCTCCGATGAAACTCTC
ATAGATATCATGACTCGCTTCAGGAAGGAGATGAAGAATGGCCTCTCCCGGATTTTAAT
CCAACAGCCACAGTCAAGATGTTGCCAACATTGTAAGGTCCATTCTGATGGCTCTGAA
AAGGGAGATTTTCATTGCCCTGGATCTTGGTGGGCTTCCCTTTTGAATTCTGCGGGTGCAA
GTGAATCATGAGAAAAACAGAATGTTTCACATGGAGTCCGAGTTTATGACACCCAGAG
AACATCGTGACGGCAGTGAAGCCAGCTTTTTGATCATGTTGCTGAGTGCCTGGAGAT
TTCATGGAGAAAAGGAAGATCAAGGACAAGAAGTTACCTGTGGGATTCACGTTTTCTTTT
CCTTGCCAACAATCCAAAATAGATGAGGCCATCCTGATCACCTGGACAAAAGCGATTTAAA
GCGAGCGGAGTGAAGGAGCAGATGTGGTCAAAGTCTTAAACAAAGCCATCAAAAAGCGA
GGGACTATGATGCCAACATCGTAGCTGTGGTGAATGACACAGTGGCCACCATGATGACC
TGTGGCTATGACGACCAGCACTGTGAAGTGGCCTGATCATCGGCACTGGCACCATGCT
TGCTACATGGAGAACTGAGGCACATTGATCTGGTGAAGGAGACGAGGGGAGGATGTGT
ATCAATACAGAATGGGGAGCCTTTGGAGACGATGGATCATTAGAAGACATCCGGACAGAG
TTTGACAGGGAGATAGACCGGGGATCCCTCAACCCTGGAAAACAGCTGTTTGAGAAGATG
GTCAGTGGCATGTACTTGGGAGAGCTGGTTCGACTGATCCTAGTCAAGATGGCCAAGGAG
GGCCTCTTATTTGAAGGGCGGATCACCCCGGAGCTGCTCACCCGAGGGAAAGTTAACACC
AGTGATGTGTCAGCCATCGAAAAGAATAAGGAAGGCCCTCCACAATGCCAAAAGAAATCCTG
ACCCGCTGGGAGTGGAGCCGTCGATGATGACTGTGTCTCAGTCCAGCAGCTTTGCACC
ATTGTCTCATTTTCGCTCAGCCAACCTGGTGGCTGCCACACTGGGCGCCATCTTGAACCGC
CTGGCTGATAAACAAGGGCACACCCAGGCTGCGGACCACGGTTGGTGTGCGAGGATCTTT
TACAAGACGCACCCACAGTATTCCCGGCTTTCCACAAGACTCTAAGGCGCTTGGTGCCA
GACTCCGATGTGCGCTTCTCCTCTCGGAGAGTGGCAGCGGCAAGGGGGTGGCCTGGTG
ACGGCGGTGGCCTACCGCTTGGCCGAGCAGCACCAGGAGATAGAGGAGACCTGGCTCAT
TTCCACCTCACCAAGGACATGCTGCTGGAGGTGAAGAAGAGGATGCGGGCCGAGATGGAG
CTGGGGCTGAGGAAGCAGACGCACAACAATGCCGTGGTTAAGATGCTGCCCTCCTTCGTC
CGGAGAACTCCGACGGGACCGAGAATGGTGACTTCTTGGCCCTGGATCTTGGAGGAACC
AATTTCCGTGTGCTGCTGGTAAAATCCGTAGTGGAAAAAGAGAACGGTGGAAATGCAC
AACAGATCTACGCCATTCCTATTGAAATCATGCAGGGCACTGGGGAAGAGCTGTTTGAT
CACATTGTCTCCTGCATCTCTGACTTCTTGGACTACATGGGGATCAAAGGCCCCAGGATG
CCTCTGGGCTTACGTTCTCATTTCCTGCCAGCAGACGAGTCTGGACGCGGGAATCTTG
ATCACGTGGACAAAAGGGTTTTAAGGCAACAGACTGCGTGGGCCACGATGTAGTACCTTA
CTAAGGGATGCGATAAAAAGGAGAGAGGAATTTGACCTGGACGTGGTGGCTGTGGTCAAC
GACACAGTGGGCACCATGATGACCTGTGCTTATGAGGAGCCACCTGTGAGGTTGGACTC
ATTGTTGGGACCGGCAGCAATGCCTGCTACATGGAGGAGATGAAGAACGTGGAGATGGTG
GAGGGGGACCAGGGCAGATGTGCATCAACATGGAGTGGGGGGCCTTTGGGACAACGGG
TGTCTGGATGATATCAGGACACACTACGACAGACTGGTGGACGAATATTCCTAAATGCT
GGGAAACAAGGTATGAGAAGATGATCAGTGGTATGTACCTGGGTGAAATCGTCCGCAAC
ATCTTAATCGACTTACCAAGAAGGGATTCTCTTCCGAGGGCAGATCTCTGAGACGCTG
AAGACCCGGGCATCTTTGAGACCAAGTTTCTCTCTCAGATCGAGAGTGACCGATTAGCA
CTGCTCCAGTCCGGCTATCCTCCAGCAGCTAGGTCTGAATAGCACCTGCGATGACAGT
ATCCTCGTCAAGACAGTGTGCGGGTGGTGTCCAGGAGGGCCGACAGCTGTGTGGCGCA
GGCATGGCTGCGGTTGTGGATAAGATCCGCGAGAACAGAGGACTGGACCGTCTGAATGTG
ACTGTGGGAGTGGACGGGACACTCTACAAGCTTATCCACACTTCTCAGAATCATGCAC
CAGACGGTGAAGGAACTGTACCAAAAATGTAACGTGCTCTCCTCTGTCTGAGGATGGC
AGCGGCAAGGGGCGCCCTCATCACGGCGTGGGCGTGGGTTACGCACAGAGGCAAGC
AGCTAA

```

Restriction Sites: Please inquire

ACCN:	NM_033497
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_033497.1</u> , <u>NP_277032.1</u>
RefSeq Size:	3815 bp
RefSeq ORF:	2766 bp
Locus ID:	3098
UniProt ID:	<u>P19367</u>
Cytogenetics:	10q22.1
Protein Families:	Druggable Genome
Protein Pathways:	Amino sugar and nucleotide sugar metabolism, Fructose and mannose metabolism, Galactose metabolism, Glycolysis / Gluconeogenesis, Insulin signaling pathway, Metabolic pathways, Starch and sucrose metabolism, Type II diabetes mellitus
Gene Summary:	<p>Hexokinases phosphorylate glucose to produce glucose-6-phosphate, the first step in most glucose metabolism pathways. This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic anemia due to hexokinase deficiency. Alternative splicing of this gene results in several transcript variants which encode different isoforms, some of which are tissue-specific. [provided by RefSeq, Apr 2016]</p> <p>Transcript Variant: Variant 3 (HK1-ta) includes four testis-specific exons in the 5' end. Variants 3, 4, 6 and 10 all encode isoform HK1-ta/tb, which has a unique N-terminus. Isoform HK1-ta/tb lacks the porin binding domain (PBD) required for association with the mitochondrial membrane.</p>