

## Product datasheet for **SC309415**

### **CAMK2B (NM\_172083) Human Untagged Clone**

#### **Product data:**

|                           |   |
|---------------------------|---|
| Product Type:             | Expression Plasmids                     |
| Product Name:             | CAMK2B (NM_172083) Human Untagged Clone |
| Tag:                      | Tag Free                                |
| Symbol:                   | CAMK2B                                  |
| Synonyms:                 | CAM2; CAMK2; CAMKB; CaMKIIbeta; MRD54   |
| Mammalian Cell Selection: | Neomycin                                |
| Vector:                   | pCMV6-Entry (PS100001)                  |
| E. coli Selection:        | Kanamycin (25 ug/mL)                    |



[View online »](#)

**Fully Sequenced ORF:** >SC309415 representing NM\_172083.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCCACCACGGTGACCTGCACCGCTTCACCGACGAGTACCAGCTCTACGAGGATATTGGCAAGGGG
GCTTTCTCTGTGGTCCGACGCTGTGTCAAGCTCTGCACCGGCCATGAGTATGCAGCCAAGATCATCAAC
ACCAAGAAGCTGTACGCCAGAGATCACCAGAAGCTGGAGAGAGAGGCTCGGATCTGCCGCCCTTCTGAAG
CATTCCAACATCGTGCCTCTCCACGACAGCATCTCCGAGGAGGGCTTCCACTACCTGGTCTTCGATCTG
GTCACTGGTGGGAGCTCTTTGAAGACATTGTGGCGAGAGAGTACTACAGCGAGGCTGATGCCAGTCAC
TGTATCCAGCAGATCCTGGAGGCCGTTCTCCATTGTACCAAAATGGGGTCTGCCACAGAGACCTCAAG
CCGGAGAACCTGCTTCTGGCCAGCAAGTCAAAGGGGCTGCAGTGAAGCTGGCAGACTTCGGCCTAGCT
ATCGAGGTGCAGGGGACCAGCAGGCATGGTTTGGTTTCGCTGGCACACCAGGCTACCTGTCCCCTGAG
GTCCTTCGAAAGAGGCGTATGGCAAGCCTGTGGACATCTGGGCATGTGGGTGATCCTGTACATCCTG
CTCGTGGGCTACCCACCCTTCTGGGACGAGGACCAGCACAAGCTGTACCAGCAGATCAAGCTGGTGCC
TATGACTTCCCGTCCCTGAGTGGGACACCGTCACTCCTGAAGCCAAAACCTCATCAACCAGATGCTG
ACCATCAACCCTGCCAAGCGCATCACAGCCATGAGGCCCTGAAGCACCCGTGGGTCTGCCAACGCTCC
ACGGTAGCATCCATGATGCACAGACAGGAGACTGTGGAGTGTCTGAAAAAGTTCAATGCCAGGAGAAAG
CTCAAGGAGGCCATCCTCACCACCATGTGGCCACACGGAATTTCTCAGCAGCCAAGAGTTTACTCAAC
AAGAAAGCAGATGGAGTCAAGGAGTCTTCTGACAGTGCCAATACCACCATAGAGGATGAAGACGCTAAA
GCCCCGAAGCAGGAGATCATTAGACCACGGAGCAGCTCATCGAGGCCGTCACCAACGGTGACTTTGAG
GCCTACGCGAAAATCTGTGACCCAGGGCTGACCTCGTTTGAGCCTGAAGCACTGGGCAACCTGGTTGAA
GGGATGGACTTCCACAGATTCTACTTCGAGAACCCTGCTGGCCAAGAAGCAAGCCGATCCACACGACC
ATCCTGAACCCACACGTGCACGTCAATTGGAGAGGATGCCGCCTGCATCGCTTACATCCGGCTCACGCAG
TACATTGACGGGAGGGCCGGCCCGCACCAGCCAGTCTGAGGAGACCCGCGTGTGGCACCCGCGCGAC
GGCAAGTGGCAGAACGTGCACTTCCACTGCTCGGGCGCGCTGTGGCCCCGCTGCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:** SgfI-MluI

**ACCN:** NM\_172083

**Insert Size:** 1440 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

|                               |  |
|-------------------------------|--|
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>  |
| <b>RefSeq:</b>                | <u>NM_172083.2</u>   |
| <b>RefSeq Size:</b>           | 4025 bp  |
| <b>RefSeq ORF:</b>            | 1440 bp  |
| <b>Locus ID:</b>              | 816  |
| <b>UniProt ID:</b>            | <u>Q13554</u>  |
| <b>Cytogenetics:</b>          | 7p13   |
| <b>Protein Families:</b>      | Druggable Genome, Protein Kinase   |
| <b>Protein Pathways:</b>      | Calcium signaling pathway, ErbB signaling pathway, Glioma, GnRH signaling pathway, Long-term potentiation, Melanogenesis, Neurotrophin signaling pathway, Olfactory transduction, Oocyte meiosis, Wnt signaling pathway  |
| <b>MW:</b>                    | 54.1 kDa   |
| <b>Gene Summary:</b>          | <p>The product of this gene belongs to the serine/threonine protein kinase family and to the Ca(2+)/calmodulin-dependent protein kinase subfamily. Calcium signaling is crucial for several aspects of plasticity at glutamatergic synapses. In mammalian cells, the enzyme is composed of four different chains: alpha, beta, gamma, and delta. The product of this gene is a beta chain. It is possible that distinct isoforms of this chain have different cellular localizations and interact differently with calmodulin. Alternative splicing results in multiple transcript variants. [provided by RefSeq, May 2014]</p> <p>Transcript Variant: This variant (7), also known as beta 2, lacks an in-frame segment of the coding region, compared to variant 1. It encodes a shorter isoform (7), also known as beta 2 subunit, that is missing an internal segment compared to isoform 1. Sequence Note: The RefSeq transcript and protein were derived from transcript and genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.</p> |