

## **Product datasheet for SC310913**

## ATP6V1E1 (NM 001039367) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** ATP6V1E1 (NM\_001039367) Human Untagged Clone

Tag: Tag Free
Symbol: ATP6V1E1

Synonyms: ARCL2C; ATP6E; ATP6E2; ATP6V1E; P31; Vma4

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC310913 representing NM\_001039367.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

TTGTTTGGTGCAAATGCCAACAGGAAGTTTTTGGAC<mark>TAA</mark>

**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Plasmid Map:



**ACCN:** NM\_001039367

**Insert Size:** 591 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.



## **ATP6V1E1 (NM\_001039367) Human Untagged Clone - SC310913**

**RefSeq:** <u>NM 001039367.1</u>

 RefSeq Size:
 1316 bp

 RefSeq ORF:
 591 bp

 Locus ID:
 529

 UniProt ID:
 P36543

 Cytogenetics:
 22q11.21

**Protein Pathways:** Epithelial cell signaling in Helicobacter pylori infection, Metabolic pathways, Oxidative

phosphorylation, Vibrio cholerae infection

MW: 22.7 kDa

**Gene Summary:** This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that

mediates acidification of eukaryotic intracellular organelles. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen

activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-

ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A, three B, and two G subunits, as well as a C, D, E, F, and H subunit. The V1 domain contains the ATP catalytic site. This gene encodes alternate transcriptional splice variants, encoding different V1 domain E subunit isoforms. Pseudogenes for this gene

have been found in the genome. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3) lacks an alternate in-frame exon, compared to variant 1,

resulting in a shorter protein (isoform c), compared to isoform a.