

Product datasheet for **SC318993**

PDE4A (NM_001111308) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PDE4A (NM_001111308) Human Untagged Clone
Tag:	Tag Free
Symbol:	PDE4A
Synonyms:	DPDE2; PDE4; PDE46
Vector:	<u>pCMV6 series</u>



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001111308, the custom clone sequence may differ by one or more nucleotides

```

ATGGCGCGGCCGCGCGCCTAGGCCGCATCCCGGAGCTGCAACTGGTGGCCTTCCCGGTG
GCGGTGGCGGCTGAGGACGAGGCGTTCCCTGCCCGAGCCCTGGCCCCGCGCGCCCCGC
CGCCCCGCTTCGCGCCCTCCTCGCCGCTTCTTTCGCCAGCCCGTCCCCAACTTCCGC
AGACGCTTTCGGCTTCTCCGAGCTGCCAGGATTTGGCCGCCAGGCTTGGCTGGGGT
GGCTTCGAGGCAGAGAATGGGCCGACACCATCTCCTGGCCGACGCCCTGGACTCGCAG
GCGAGCCAGGACTCGTGTGCACGCCGGGCGGCCACCAGCCAGCGCCGGGAGTCTTTC
CTGTACCCTCAGACAGCGACTATGACATGTACCCAAGACCATGTCCCGAACTCATCG
GTCACCAGCGAGGCGCACGCTGAAGACCTCATCGTAACACCATTGCTCAGGTGTGGCC
AGCCTCCGGAGCGTCCGTAGCAACTTCTACTCCTGACCAATGTGCCCGTCCCAGTAAC
AAGCGTCCCCGCTGGGCGGCCACCCTGTCTGCAAGGCCAGCTGTCAGAAGAAACG
TGTCAGCAGTTGGCCGGGAGACTCTGGAGGAGCTGGACTGGTGTCTGGAGCAGCTGGAG
ACCATGCAGACCTATCGCTCTGTACGCGAGATGGCCTCGCACAAAGTTCAAAGGATGTTG
AACCGTGAGCTCACACACCTGTAGAAAATGAGCAGGTCCGAAACCAGGTCTCAGAGTAC
ATTTCCACAACATTCTGGACAAAACAGAATGAAGTGGAGATCCCATCACCACAGTGAAG
GAACGAGAAAAACAGCAAGCGCCGCGACCAAGACCCTCCAGCCGCCCCCGCCCCCTGTA
CCACACTTACAGCCCATGTCCCAAATCACAGGGTTGAAAAAGTTGATGCATAGTAACAGC
CTGAACAACCTAACATTCCCGATTGGGGTGAAGACCGATCAAGAAGAGCTCCTGGCC
CAAGAAGTGGAGAACCTGAACAAGTGGGGCTGAACATCTTTTGGCGTGTCCGATTACGCT
GGAGGCCGCTCACTCACCTGCATCATGTACATGATTTCCAGGAGCGGGACCTGCTGAAG
AAATTCGCATCCCTGTGGACACGATGGTGACATACATGCTGACGCTGGAGGATCACTAC
CAGCTGACGTGGCTACCATAACAGCCTGCACGACGCTGACGTGCTGCAGTCCACCCAC
GTACTGTGGCCACGCCCTGCACTAGATGCAAGTTCACGGACCTGGAGATTCTCGCCGCC
CTTTCGCGGCTGCCATCCACGATGTGGATCACCTGGGGTCTCAACCAGTTCTCTCATC
AACACCAATTCGGAGCTGGCGCTCATGTACAACGATGAGTCGGTGTCTCGAGAATCACAC
CTGGCCGTGGGCTTCAAGCTGTGCAGGAGGACAACTGCGACATCTTCCAGAACCTCAGC
AAGCGCCAGCGGACAGCCTACGCAAGATGGTCATCGACATGGTGTGGCCACGGACATG
TCCAAGCACATGACCCTCCTGGCTGACCTGAAGACCATGGTGGAGACCAAGAAAGTACC
AGCTCAGGGTCTCCTGCTAGATAACTACTCCGACCGCATCCAGGTCTCCGGAACATG
GTGCACTGTGCCACCTCAGCAACCCACCAAGCCGCTGGAGCTGTACCGCCAGTGGACA
GACCGCATCATGGCCGAGTTCTTCCAGCAGGGTACCCGAGAGCGCGAGCGTGGCATGGAA
ATCAGCCCATGTGTGACAAGCACACTGCCTCCGTGGAGAAGTCTCAGGTGGGTTTTATT
GACTACATTGTGCACCCATTGTGGGAGACCTGGGCGGACCTGTCCACCCAGATGCCAG
GAGATCTTGGACACTTTGGAGGACAACCGGGACTGGTACTACAGCGCCATCCGGCAGAGC
CCATCTCCGCCACCCGAGGAGGAGTCAAGGGGGCCAGGCCACCCACCCCTGCCTGACAAG
TTCCAGTTTGTAGCTGACGCTGGAGGAGGAAGAGGAGGAAGAAATATCAATGGCCAGATA
CCGTGCACAGCCCAAGAGCATTGACTGCGCAGGGATTGTGAGGAGTTCGAGGAAGCTCTG
GATGCAACCATAGCCTGGGAGGCATCCCCGGCCAGGAGTCGTTGGAAGTTATGGCACAG
GAAGCATCCCTGGAGCCGAGCTGGAGGCAAGTATTTGACACAGCAGGCACAGTCCACA
GGCAGTGCACCTGTGGCTCCGGATGAGTTCTCGTCCCGGGAGGAATTCGTGGTTGCTGTA
AGCCACAGCAGCCCTCTGCCCTGGCTCTTCAAAGCCCCCTTCTCCCTGCTTGGAGGACC
CTGTCTGTTTCAGAGCATGCCCGGGCCTCCCGGGCTCCCTCCACGGCGGCCGAGGTG
GAGGCCAACGAGAGCACCAGGCTGCCAAGAGGGCTTGCAGTGCCTGCGCAGGGACATTT
GGGGAGGACACATCCGCACTCCAGCTCCTGGTGGCGGGGGTTCAGGTGGAGACCCTACC

```

Restriction Sites: Please inquire
ACCN: NM_001111308

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001111308.1</u> , <u>NP_001104778.1</u>
RefSeq Size:	4608 bp
RefSeq ORF:	2583 bp
Locus ID:	5141
UniProt ID:	<u>P27815</u>
Cytogenetics:	19p13.2
Protein Families:	Druggable Genome
Protein Pathways:	Progesterone-mediated oocyte maturation, Purine metabolism
Gene Summary:	<p>The protein encoded by this gene belongs to the cyclic nucleotide phosphodiesterase (PDE) family, and PDE4 subfamily. This PDE hydrolyzes the second messenger, cAMP, which is a regulator and mediator of a number of cellular responses to extracellular signals. Thus, by regulating the cellular concentration of cAMP, this protein plays a key role in many important physiological processes. Alternatively spliced transcript variants encoding different isoforms have been described for this gene.[provided by RefSeq, Jul 2011]</p> <p>Transcript Variant: This variant (2, also known as PDE4A11) contains an alternative 5' terminal exon compared to variant 1. It encodes a shorter isoform (2) with a distinct N-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data because no single transcript was available for the full length of the gene. The extent of this transcript is supported by transcript alignments.</p>