

## Product datasheet for **SC322630**

### p63 (TP63) (NM\_003722) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	p63 (TP63) (NM_003722) Human Untagged Clone
Tag:	Tag Free
Symbol:	p63
Synonyms:	AIS; B(p51A); B(p51B); EEC3; KET; LMS; NBP; OFC8; p40; p51; p53CP; p63; p73H; p73L; RHS; SHFM4; TP53CP; TP53L; TP73L
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene sequence for SC322630

```

>OriGene sequence for SC322630
CCCGGCTTTATATCTATATATACACAGGTATATGTGTATATTTTATATAATTGTTCTCCG
TTCGTTGATATCAAAGACAGTTGAAGGAAATGAATTTTGAAACTTCACGGTGTGCCACCC
TACAGTACTGCCCTGACCCTTACATCCAGCGTTTCGTAGAAACCCAGCTCATTTCTCTT
GGAAAGAAAGTTATTACCGATCCACCATGTCCCAGAGCACACAGACAAATGAATTCCTCA
GTCCAGAGGTTTTCCAGCATATCTGGGATTTTCTGGAACAGCCTATATGTTTCAGTTCAGC
CCATTGACTTGAACCTTTGTGGATGAACCATCAGAAGATGGTGCGACAAACAAGATTGAGA
TTAGCATGGACTGTATCCGCATGCAGGACTCGGACCTGAGTGACCCCATGTGGCCACAGT
ACACGAACCTGGGGCTCCTGAACAGCATGGACCAGCAGATTGAGAACGGCTCCTCGTCCA
CCAGTCCCTATAACACAGACCACGCGCAGAACAGCGTCACGGCGCCCTCGCCCTACGCAC
AGCCAGCTCCACCTTCGATGCTCTCTCCATCACCCGCCATCCCTCCAACACCGACT
ACCCAGGCCCGCACAGTTTCGACGTGTCCTTCCAGCAGTCGAGCACCGCCAAGTCGGCCA
CCTGGACGTATCCACTGAACTGAAGAACTCTACTGCCAAATTGCAAAGACATGCCCCA
TCCAGATCAAGGTGATGACCCACCTCCTCAGGGAGCTGTTATCCGCGCCATGCCTGTCT
ACAAAAAGCTGAGCACGTCACGGAGGTGGTGAAGCGGTGCCCAACCATGAGCTGAGCC
GTGAATTAACGAGGGACAGATTGCCCTCCTAGTCATTTGATTGAGTAGAGGGGAACA
GCCATGCCAGTATGTAGAAGATCCCATCACAGGAAGACAGAGTGTGCTGGTACCTTATG
AGCCACCCAGGTTGGCACTGAATTCACGACAGTCTTGTACAATTCATGTGTAACAGCA
GTTGTGTTGGAGGGATGAACCGCGTCCAATTTAATCATTGTTACTCTGGAAACCAGAG
ATGGGCAAGTCTGGGCCGACGCTGCTTTGAGGCCGGATCTGTGCTTGGCCAGGAAGAG
ACAGGAAGGCGGATGAAGATAGCATCAGAAAGCAGCAAGTTTCGGACAGTACAAAGAACG
GTGATGTTACGAAGCGCCGTTTTCGTCAGAACACACATGGTATCCAGATGACATCCATCA
AGAAACGAAGATCCCCAGATGATGAACTGTTATACTTACCAGTGAGGGGCGGTGAGACTT
ATGAAATGCTGTTGAAGATCAAAGAGTCCCTGGAACCTCATGCAGTACCTTCTCAGCACA
CAATTGAAACGTACAGGCAACAGCAACAGCAGCAGCACCAGCACTTACTTCAGAAACAGA
CCTCAATACAGTCTCCATCTTCATATGGTAACAGCTCCCCACCTCTGAACAAATGAACA

```



[View online >](#)

GCATGAACAAGCTGCCTTCTGTGAGCCAGCTTATCAACCCTCAGCAGCGCAACGCCCTCA  
 CTCTACAACCATTCTGATGGCATGGGAGCCAACATCCCATGATGGGCACCCACATGC  
 CAATGGCTGGAGACATGAATGGACTCAGCCCCACCCAGGCACTCCCTCCCCACTCTCCA  
 TGCCATCCACCTCCCCTGCACACCCCCACCTCCGTATCCACAGATTGCAGCATTGTCA  
 GTTTCTTAGCGAGGTTGGGCTGTTATCATGTCTGGACTATTTACGACCCAGGGGCTGA  
 CCACCATCTATCAGATTGAGCATTACTCCATGGATGATCTGGCAAGTCTGAAAATCCCTG  
 AGCAATTCGACATGCGATCTGGAAGGGCATCCTGGACCACCGGCAGCTCCACGAATTCT  
 CCTCCCCCTTCTCATCTCCTGCGGACCCCAAGCAGTGCCTCTACAGTCAGTGTGGCTCCA  
 GTGAGACCCGGGGTGAGCGTGTTATTGATGCTGTGCGATTACCCCTCCGCCAGACCATCT  
 CTTTCCCACCCCGAGATGAGTGGAAATGACTTCAACTTTGACATGGATGCTCGCCGCAATA  
 AGCAACAGCGCATCAAAGAGGAGGGGAGTGAGCCTCACCATGTGAGCTTTCCTATCCC  
 TCTCTAACTGCCAGCCCCCTAAAAGCACTCCTGCTTAATCTTCAAAGCCTTCTCCCTAG  
 CTCCTCCCCTTCTTGTCTGATTTCTTAGGGGAAGGAGAAGTAAGAGGCTACCTTTA  
 CCTAACATCTGACCTGGCATCTAATTCTGATTCTGGCTTTAAGCCTTCAAACTATAGCT  
 TGCAGAAGTGTAGCTGCCATGGCTAGGTAGAAGTGAAGTGAAGTGAAGTGAAGTGAAGT  
 TAAGCTGCAGAGATTTCTCATTGACTTTTATAAAGCATGTTACCCCTTATAGTCTAAGAC  
 TATATATAAAATGTATAAATATACAGTATAGATTTTTGGGTGGGGGCATTGAGTATTG  
 TTTAAATGTAATTTAAATGAAAGAAAATTGAGTTGCACTTATTGACATTTTTTAATTT  
 ACTTGTTTTGGATGGCTTGTCTATACTCCTTCCCTTAAGGGGTATCATGTATGGTGATAG  
 GTATCTAGAGCTTAATGTACATGTGAGTGACGATGATGTACAGATTTCTTTCAGTTCTTT  
 GGATTTAAATACATGCCACATCAAACCTTTGAGTAGATCCATTTCCATTGCTTATTATG  
 TAGGTAAGACTGTAGATATGTATTCTTTTCTCAGTGTGGTATATTTTATATTACTGACA  
 TTTCTTCTAGTGATGATGGTTCACGTTGGGGTATTAAATCCAGTTATAAGAAGAAGTTC  
 ATGTCCAAACGTCCTCTTTAGTTTTTGGTTGGGAATGAGGAAAATTTCTTAAAAGGCCAT  
 AGCAGCCAGTTCAAAAACACCCGACGTCATGATTTGAGCATATCAGTAACCCCTTAAA  
 TTTAATACCAGATACCTTATCTTACAATATTGATTGGGAAAACATTTGCTGCCATTACAG  
 AGGTATTAATAACTAAATTTCACTACTAGATTGACTAACTCAAATACACATTTGCTACTGT  
 TGTAAGAATTCTGATTGATTTGATTGGGATGAATGCCATCTATCTAGTTCTAACAGTGAA  
 GTTTTACTGTCTATTAATATTACAGGTAATAGGAATCATTACAGAAATGTTGAGTCTGTA  
 CTAACAGTAAGATATCTCAATGAACATAAAATCAACTTTGAAAAATCTTTTGAAGCA  
 TAGATAATATTGTTGGTAAATGTTCTTTTGGTTGGTAAATGTTCTTTTAAAGACCCT  
 CCTATTCTATAAACTCTGCATGTAGAGGCTTGTTCACCTTTCTCTCTAAGGTTTACA  
 ATAGGAGTGGTGATTTGAAAAATATAAAATTTAGAGATTGGTTTTCTGTGGCATAAATT  
 GCATCACTGTATCATTTTCTTTTTAAACCGTAAGAGTTTCAGTTTGTGGAAAGTAACT  
 GTGAGAACCCAGTTTCCCGTCCATCTCCCTTAGGGACTACCCATAGACATGAAAGTCCC  
 CACAGAGCAAGAGATAAGTCTTTCATGGCTGCTGTTGCTTAAACCACTTAAACGAAGAGT  
 TCCCTTGAACCTTTGGGAAAACATGTTAATGACAATATCCAGATCTTTCAGAAATATAA  
 CACATTTTTTGCATGCATGCAATGAGCTCTGAAATCTTCCATGCATTCTGGTCAAGG  
 GCTGTATTGCACATAAGCTTCCATTTAATTTTAAAGTGCAAAAAGGGCCAGCGTGGCTC  
 TAAAAGGTAATGTGTGGATTGCCTCTGAAAAGTGTGTATATATTTTGTGTGAAATTGCAT  
 ACTTTGATTTTGTATTATTTTTTTTTCTTCTGGGATAGTGGGATTTCCAGAACCACAC  
 TTGAAACCTTTTTTATCGTTTTTGTATTTTTCATGAAAATACCATTTAGTAAGAATACCA  
 CATCAAATAAGAAATAATGCTACAATTTAAGAGGGGAGGGAAGGAAAGTTTTTTTTTTA  
 TTATTTTTTTAAATTTTGTATGTTAAAGAGAATGAGTCTTGATTTCAAAGTTTTGTG  
 TACTTAAATGGTAATAAGCACTGTAACTTCTGCAACAAGCATGCAGCTTTGCAAACCCA  
 TTAAGGGGAAGAATGAAAGCTGTTCTTGGTCTAGTAAGAAGACAACTGCTTCCCTTA  
 CTTTGTGAGGGTTTGAATAAACCTAGGACTTCCGAGCTATGTCACTACTATTCAAGTAA  
 CACTAGGGCCTTGAAATTCCTGTACTGTCTCATGGATTTGGCACTAGCCAAAGCGAG  
 GCACCCCTTACTGGCTTACCTCCTCATGGCAGCCTACTCTCCTTGAAGTGTATGAGTAGCCA  
 GGGTAAGGGGTAAAAGGATAGTAAGCATAGAAACCATTAGAAAGTGGGCTTAATGGAGTT  
 CTTGTGGCCTCAGCTCAATGCAGTTAGCTGAAGAATTGAAAAGTTTTTGTGGAGACGT  
 TTATAACAGAAATGAAAGCAGAGTTTTTCATTAATCCTTTTACCTTTTTTTTTCTTG

```
GTAATCCCCTAAAATAACAGTATGTGGGATATTGAATGTTAAAGGGATATTTTTTCTAT
TATTTTTATAATTGTACAAAATTAAGCAAATGTTAAAAGTTTTATATGCTTTATTAATGT
TTTCAAAGGTATTATACATGTGATACATTTTTTAAGCTTCAGTTGCTTGTCTTCTGGTA
CTTTCTGTTATGGGCTTTTGGGGAGCCAGAAGCCAATCTACAATCTTTTTTGTGGCCA
GGACATGCAATAAAATTTAAAAATAAAATAAAACTAATTAAGAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAA
```

<b>Restriction Sites:</b>	Please inquire
<b>ACCN:</b>	NM_003722
<b>OTI Disclaimer:</b>	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_003722.3</a> , <a href="#">NP_003713.3</a>
<b>RefSeq Size:</b>	4932 bp
<b>RefSeq ORF:</b>	2043 bp
<b>Locus ID:</b>	8626
<b>UniProt ID:</b>	<a href="#">Q9H3D4</a>
<b>Cytogenetics:</b>	3q28
<b>Domains:</b>	SAM, P53
<b>Protein Families:</b>	Druggable Genome, Transcription Factors

**Gene Summary:**

This gene encodes a member of the p53 family of transcription factors. The functional domains of p53 family proteins include an N-terminal transactivation domain, a central DNA-binding domain and an oligomerization domain. Alternative splicing of this gene and the use of alternative promoters results in multiple transcript variants encoding different isoforms that vary in their functional properties. These isoforms function during skin development and maintenance, adult stem/progenitor cell regulation, heart development and premature aging. Some isoforms have been found to protect the germline by eliminating oocytes or testicular germ cells that have suffered DNA damage. Mutations in this gene are associated with ectodermal dysplasia, and cleft lip/palate syndrome 3 (EEC3); split-hand/foot malformation 4 (SHFM4); ankyloblepharon-ectodermal defects-cleft lip/palate; ADULT syndrome (acrodermato-ungual-lacrimal-tooth); limb-mammary syndrome; Rap-Hodgkin syndrome (RHS); and orofacial cleft 8. [provided by RefSeq, Aug 2016]

Transcript Variant: This variant (1) is the longest transcript and encodes the longest isoform (1, also known as TAp63alpha, TA-alpha, KET, and p51B). This isoform is expressed in female germ cells and acts to protect the germline by eliminating oocytes that have suffered DNA damage.