

## Product datasheet for **SC323080**

### Thyroid Hormone Receptor beta (THRB) (NM\_001128177) Human Untagged Clone

#### Product data:

|                           |   |
|---------------------------|---|
| Product Type:             | Expression Plasmids   |
| Product Name:             | Thyroid Hormone Receptor beta (THRB) (NM_001128177) Human Untagged Clone    |
| Tag:                      | Tag Free  |
| Symbol:                   | THRB  |
| Synonyms:                 | C-ERBA-2; C-ERBA-BETA; ERBA2; GRTH; NR1A2; PPTH; THR1; THRB1; THRB2; TRbeta |
| Mammalian Cell Selection: | Neomycin  |
| Vector:                   | pCMV6-Entry (PS100001)  |
| E. coli Selection:        | Kanamycin (25 ug/mL)  |



[View online »](#)

**Fully Sequenced ORF:** >SC323080 representing NM\_001128177.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGACTCCCAACAGTATGACAGAAAATGGCCTTACAGCCTGGGACAAACCGAAGCACTGTCCAGACCGA
GAACACGACTGGAAGCTAGTAGGAATGTCTGAAGCCTGCCTACATAGGAAGAGCCATTCCAGAGAGCGC
AGCACGTTGAAAAATGAACAGTCGTCGCCACATCTCATCCAGACCACTTGACTAGCTCAATATTCAT
CTGGACCATGATGATGTGAACGACCAGAGTGTCTCAAGTGCCAGACCTTCCAAACGGAGGAGAAGAAA
TGTAAGGGTACATCCCCAGTTACTTAGACAAGGACGAGCTCTGTGTAGTGTGTGGTGACAAAGCCACC
GGGTATCACTACCGCTGTATCACGTGTGAAGGCTGCAAGGGTTTCTTTAGAAGAACCATTAGAAAAAT
CTCCATCCATCCTATTCTGTAATATGAAGGAAAATGTGTCATAGACAAAAGTACGCGAAATCAGTGC
CAGGAATGTCGTTTAAGAAATGCATCTATGTTGGCATGGCAACAGATTTGGTGTGGATGACAGCAAG
AGGCTGGCCAAGGGAAGCTGATAGAGGAGAACCAGGAGAAAAGACGGCGGGAAGAGCTGCAGAAGTCC
ATCGGGCACAAGCCAGAGCCACAGACGAGGAATGGGAGCTCATCAAACTGTCACCGAAGCCCATGTG
GGACCAACGCCAAGGCAGCCACTGGAAGCAAAAACGGAAATTCCTGCCAGAAGACATTGGACAAGCA
CCAATAGTCAATGCCCCAGAAGGTGAAAAGTTGACTTGGAAAGCCTTCAGCCATTTTACAAAAATCATC
ACACCAGCAATTACCAGAGTGGTGGATTTTGCCAAAAAGTTGCCTATGTTTTGTGAGCTGCCATGTGAA
GACCAGATCATCCTCCTCAAAGGCTGCTGCATGGAGATCATGTCCCTTCGCGCTGCTGTGCGCTATGAC
CCAGAAAGTGAGACTTTAACCTTGAATGGGAAAATGGCAGTGACACGGGGCCAGCTGAAAAATGGGGT
CTTGGGGTGGTGTGACAGCCATCTTTGACCTGGGCATGTCTCTGTCTTCTTTCAACCTGGATGACACT
GAAGTAGCCCTCCTTCAGGCCGCTCTGCTGATGTCTTTCAGATCGCCGGGGCTTGCCCTGTGTTGAGAGA
ATAGAAAAGTACCAAGATAGTTTCTGCTGGCCTTTGAACACTATATCAATTACCGAAAACACCACGTG
ACACACTTTTGGCCAAAACCTCCTGATGAAGGTGACAGATCTGCGGATGATAGGAGCCTGCCATGCCAGC
CGTTCCTGCACATGAAGGTGGAATGCCCCACAGAACTCTTCCCCCTTTGTTCTTGAAGTGTTCGAG
GATTAG
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:**

Sgfl-MluI

**Plasmid Map:**



**ACCN:** NM\_001128177

**Insert Size:** 1386 bp

|                               |   |
|-------------------------------|---|
| <b>OTI Disclaimer:</b>        | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).  |
| <b>OTI Annotation:</b>        | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>   |
| <b>RefSeq:</b>                | <a href="#">NM_001128177.1</a>  |
| <b>RefSeq Size:</b>           | 7553 bp   |
| <b>RefSeq ORF:</b>            | 1386 bp   |
| <b>Locus ID:</b>              | 7068  |
| <b>UniProt ID:</b>            | <a href="#">P10828</a>  |
| <b>Cytogenetics:</b>          | 3p24.2  |
| <b>Protein Families:</b>      | Druggable Genome, Nuclear Hormone Receptor, Transcription Factors   |
| <b>Protein Pathways:</b>      | Neuroactive ligand-receptor interaction   |
| <b>MW:</b>                    | 52.8 kDa  |
| <b>Gene Summary:</b>          | <p>The protein encoded by this gene is a nuclear hormone receptor for triiodothyronine. It is one of the several receptors for thyroid hormone, and has been shown to mediate the biological activities of thyroid hormone. Knockout studies in mice suggest that the different receptors, while having certain extent of redundancy, may mediate different functions of thyroid hormone. Mutations in this gene are known to be a cause of generalized thyroid hormone resistance (GTHR), a syndrome characterized by goiter and high levels of circulating thyroid hormone (T3-T4), with normal or slightly elevated thyroid stimulating hormone (TSH). Several alternatively spliced transcript variants encoding the same protein have been observed for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (3) differs in the 5' UTR compared to variant 1. Variants 1-10 all encode the same isoform (a). Sequence Note: This RefSeq record was created from transcript and genomic sequence data because no single transcript was available for the full length of the gene. The extent of this transcript is supported by transcript alignments.</p> |