

Product datasheet for **SC328264**

G CSF (CSF3) (NM_001178147) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	G CSF (CSF3) (NM_001178147) Human Untagged Clone
Tag:	Tag Free
Symbol:	CSF3
Synonyms:	C17orf33; CSF3OS; GCSF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC328264 representing NM_001178147. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCTGGACCTGCCACCCAGAGCCCCATGAAGCTGATGGCCCTGCAGCTGCTGCTGTGGCACAGTGCA
CTCTGGACAGTGCAGGAAGCCACCCCTGGGCCCTGCCAGCTCCCTGCCCCAGAGCTTCTGCTCAAG
TGCTTAGAGCAAGTGAGGAAGATCCAGGGCGATGGCGCAGCGCTCCAGGAGAAGCTGGCAGGCTGCTTG
AGCCAACCTCCATAGCGGCCTTTTCTCTACCAGGGCTCCTGCAGGCCCTGGAAGGGATCTCCCCGAG
TTGGGTCCACCTTGGACACACTGCAGCTGGACGTCGCCGACTTTGCCACCACCATCTGGCAGCAGATG
GAAGAACTGGGAATGGCCCTGCCCTGCAGCCCACCCAGGGTGCCATGCCGGCCTTCGCCTCTGCTTTC
CAGCGCCGGGCAGGAGGGTCTGGTTGCCTCCCATCTGCAGAGCTTCTGGAGGTGTCGTACCGGTT
CTACGCCACCTTGCCAGCCCTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites: Sgfl-MluI



[View online »](#)

Plasmid Map:



ACCN: NM_001178147

Insert Size: 507 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001178147.1
RefSeq Size:	1485 bp
RefSeq ORF:	507 bp
Locus ID:	1440
UniProt ID:	P09919
Cytogenetics:	17q21.1
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein
Protein Pathways:	Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, Jak-STAT signaling pathway
MW:	18.1 kDa
Gene Summary:	<p>This gene encodes a member of the IL-6 superfamily of cytokines. The encoded cytokine controls the production, differentiation, and function of granulocytes. Granulocytes are a type of white blood cell that are part of the innate immune response. A modified form of this protein is commonly administered to manage chemotherapy-induced neutropenia. Alternatively spliced transcript variants have been described for this gene. [provided by RefSeq, May 2020]</p> <p>Transcript Variant: This variant (4) uses an alternate, in-frame splice site and lacks an in-frame exon in the middle portion of the coding region, compared to variant 1. This results in a shorter protein (isoform d), compared to isoform a.</p>