

Product datasheet for **SC329270**

ABL2 (NM_001168238) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | ABL2 (NM_001168238) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | ABL2 |
| Synonyms: | ABLL; ARG |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Fully Sequenced ORF: | >SC329270 representing NM_001168238. Blue=Insert sequence Red=Cloning site Green=Tag(s) |

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGGGCAGCAGGTGGCCCGCTCGGGGAACTCCGGGGCTCCAGCAGCCTCAGCCCCGCGGGATCCGG
GGCAGCAGTGCAGCCAGGCCCTCCGGCCGAGGCGGGACCCGGCGGGGCGCACCACAGAGACCGGCTTC
AATATCTTCAACCAGCATGAAGCTTTCATCGTCCCTATGGTTGTGATGTTGAACCCAGGCACTAAAT
GAGGCTATCAGGTGGAGCTCCAAGGAGAACTTGTCTGGAGCCACTGAGAGTGACCCTAATCTCTTCGTT
GCACTTTATGATTTGTAGCAAGTGGTATAACACACTCAGCATCACTAAAGGTGAAAAGCTACGAGTC
CTTGTTACAACCAAGATGGTGAAGTGAAGTTTCGCTCTAAGAATGGGCAGGGCTGGGTGCCAAGC
AACTACATCACCCAGTGAACAGCCTGGAAAAACTCCTGGTACCATGGACCTGTGTACGCAGTGCA
GCTGAGTATCTGCTCAGCAGTCTAATCAATGGCAGCTTCCTGGTGCAGAAAAGTGAAGTACGCCCTGGG
CAGCTGTCCATCTCGCTCAGGTACGAGGACGTGTGTATCACTACAGGATCAATACCACTGCAGATGGC
AAGGTGTATGTGACTGCTGAGAGCCGCTTCAGCACCTTGGCAGAGCTTGTACACCATCACTCCACAGTG
GCTGATGGGCTGGTGACAACATTACACTACCCAGCACCAAGTGAATAAGCCTACAGTCTATGGTGTG
TCCCCATCCACGACAAATGGGAAATGGAGCGAACAGATATTACCATGAAGCACAACTTGGGGCGGT
CAGTATGGAGAGGTTTACGTTGGCGTCTGGAAGAAATACAGCCTTACAGTTGCTGTGAAAACATTGAAG
GAAGTACCATGGAGGTAGAAGAATTCCTGAAAGAAGCTGCAGTAAATGAAGGAAATCAAGCATCCCTAAT
CTGGTACAACCTTTAGGTGTGTACTTTGGAGCCACCATTTTACATTGTGACTGAATACATGCCATAC
GGGAATTTGCTGGATTACCTCCGAGAATGCAACCGAGAAGAGGTGACTGCAGTTGTGCTGCTCTACATG
GCCACTCAGATTTCTTCTGCAATGGAGTACTTAGAGAAGAAGAATTTTCATCCATAGAGATCTTGCAGCT
CGTAACTGCCTAGTGGGAGAAAACCATGTGGTAAAAGTGGCTGACTTTGGCTTAAGTAGATTGATGACT
GGAGACACTTATACTGCTCATGCTGGAGCCAAATTTCTATTAAGTGGACAGCACCAGAGAGTCTTGCC
TACAATACCTTCTCAATTAATCTGACGCTCTGGGCTTTTGGGGTATTGTTGTGGGAAATGCTACCTAT
GGAATGTCACCATATCCAGGTATTGACCTGTCTCAGGTCTATGACCTACTAGAAAAGGATATCGAATG
GAACAGCCTGAGGGATGCCCCCTAAGGTTTATGAACTTATGAGAGCATGCTGGAAGTGGAGCCCTGCC
```




[View online »](#)

GATAGGCCCTCTTTTGTGAAACACACCAAGCTTTTGA AACCATGTTCCATGACTCCAGCATTCTGAA
 GAGGTAGCTGAGGAGCTTGGGAGAGCCGCTCCTCGTCATCTGTTGTTCCATACCTGCCCCGGCTACCT
 ATACTTCTTCCAAGACTCGGACACTGAAGAAACAGGTGGAGAACAAGGAGAACATTGAAGGGGCACAA
 GATGCCACAGAAAATTCTGCTCCAGTTTAGCACCAGGGTTCATCAGAGGTGCACAGGCCTCTAGTGGA
 TCCCCAGCACTGCCTCGAAAGCAAAGAGACAAGTACCCAGCAGCCTCTTGAAGATGCCAAGAGACA
 TGCTTCACCAGGGATAGGAAGGGGGCTTCTTCAGCTCCTTCATGAAGAAGAGAAATGCTCTACACCC
 CCCAAACGCAGCAGCTCCTTCCGAGAAATGGAGAATCAGCCCCATAAGAAATACGAACTCACGGGGCTT
 CCAGAGCAGGATAGGATGGCAATGACCCTTCCCAGGAACCTGCCAGAGGTCCAAACTCCAGCTGGAAGG
 ACAGTGTCCACCTCTTCTCAGCCAGAAGAGAATGTGGACAGGGCCAATGACATGCTTCAAAAAAATCA
 GAGGAAAGTGCTGCTCCAAGCAGGGAGAGACAAAAGCCAAGTTATTGCCAGAGGAGCCACAGCTCTT
 CCTCTCAGAACACCCTCTGGGGATCTAGCCATTACAGAGAAGGACCCTCCAGGGGTGGGAGTGGCTGGA
 GTGGCAGCTGCCCAAGGGTAAAGAGAAGAATGGTGGGCACGACTGGGATGGCTGGAGTTCAGAG
 GATGGAGAGCAGCCGGGCTGGCCTTCTCCAGCCAAGGCTGCCCCGCTCTCCAACCACTCACACCAC
 AAAGTCCAGTCTTATCTCACCCTCTGAAACACACTCCAGCTGACGTGCAGCTCATTGGCACAGAC
 TCTCAGGGGAATAAATCAAGCTTATCTGAGCATCAGGTCACATCCTCTGGAGACAAGGACCGACCC
 CGACGGGTAAAACCAAAGTGTGCCCCACCCACCACAGTGATGAGACTACTGCAGCATCGTCCATC
 TGCTCAGACCCTACAGAAGAGCCAAGTGCCTAACTGCAGGACAGTCCACATCAGAAACACAGGAAGGA
 GAAAGAAGGCAGCTCTGGGCGCAGTGCCCATCAGTGGGAAAGCTGGGAGGCCAGTGATGCCTCCACCT
 CAAGTGCCTCTGCCACATCTTCCATCTCGCCAGCCAAAATGGCCAATGGCACAGCAGGTAATAAGTG
 GCTCTGAGAAAAACCAACAGGCCGCTGAGAAAATCTCAGCAGACAAAATCAGCAAGAGGCCCTGCTG
 GAATGTCTGACCTACTGTCCAGTGCCTCACGGAACCTGTGCCAACAGCCAGCTGGTAGACTGGA
 CACCAGCTGCTTGACTACTGCTCAGGCTATGTGGACTGCATCCCTCAAACCTCGCAACAAATTTGCCTTC
 CGAGAGGCTGTGAGCAAACCTGGAACCTCAGCCTGCAGGAGCTACAGGTTTCTTCCAGCAGCTGCTGGTGTG
 CCCGGGACAAACCCTGTCTTAATAACTATTGTGATGTGTACAGGAAATCAGTGATGTGGTGCAGAGG
 TAG
 ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:

Sgfl-MluI

Plasmid Map:



ACCN:

NM_001168238

Insert Size:

3177 bp

| | |
|-------------------------------|--|
| OTI Disclaimer: | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). |
| OTI Annotation: | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_001168238.1 |
| RefSeq Size: | 11872 bp |
| RefSeq ORF: | 3177 bp |
| Locus ID: | 27 |
| UniProt ID: | P42684 |
| Cytogenetics: | 1q25.2 |
| Protein Families: | Druggable Genome, Protein Kinase |
| Protein Pathways: | ErbB signaling pathway, Viral myocarditis |
| MW: | 115.8 kDa |
| Gene Summary: | <p>This gene encodes a member of the Abelson family of nonreceptor tyrosine protein kinases. The protein is highly similar to the c-abl oncogene 1 protein, including the tyrosine kinase, SH2 and SH3 domains, and it plays a role in cytoskeletal rearrangements through its C-terminal F-actin- and microtubule-binding sequences. This gene is expressed in both normal and tumor cells, and is involved in translocation with the ets variant 6 gene in leukemia. Multiple alternatively spliced transcript variants encoding different protein isoforms have been found for this gene. [provided by RefSeq, Nov 2009]</p> <p>Transcript Variant: This variant (h) lacks an alternate in-frame exon in the 5' coding region and an alternate in-frame segment in the 3' coding region, compared to variant b, resulting in an isoform (h, also known as 1BSCTS) that is shorter than isoform b. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p> |