

Product datasheet for **SC331677**

Thyroid Peroxidase (TPO) (NM_001206744) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Thyroid Peroxidase (TPO) (NM_001206744) Human Untagged Clone
Tag:	Tag Free
Symbol:	Thyroid Peroxidase
Synonyms:	MSA; TDH2A; TPX
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC331677 representing NM_001206744.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGAGAGCGCTCGCTGTGCTGTCTGTACGCTGGTTATGGCTGCACAGAAGCCTTCTTCCCCTTCATC
TCGAGAGGGAAAGAACTCCTTTGGGAAAGCCTGAGGAGTCTCGTGTCTCTAGCGTCTTGGAGGAAAGC
AAGCGCCTGGTGGACACCGCCATGTACGCCACGATGCAGAGAAACCTCAAGAAAAGAGGAATCCTTTCT
CCAGCTCAGCTTCTGTCTTTTTTCAAACCTCCTGAGCCAACAAGCGGAGTGATTGCCCGAGCAGCAGAG
ATAATGGAACATCAATACAAGCGATGAAAAGAAAAGTCAACCTGAAAACCTCAACAATCACAGCATCCA
ACGGATGCTTTATCAGAAGATCTGCTGAGCATCATTGCAAACATGTCTGGATGTCTCCCTTACATGCTG
CCCCAAAATGCCAAACACTTGCCTGGCGAACAAATACAGGCCCATCACAGGAGCTTGCAACAACAGA
GACCACCCAGATGGGGCGCCTCCAACACGGCCCTGGCACGATGGCTCCCTCCAGTCTATGAGGACGGC
TTCAGTCAGCCCCGAGGCTGGAACCCCGGCTTCTGTACAACGGGTTCCCACTGCCCCCGGTCGGGAG
GTGACAAGACATGTCATTCAAGTTTCAAATGAGGTTGTCACAGATGATGACCGCTATTCTGACCTCTG
ATGGCATGGGACAATACATCGACCACGACATCGCGTTACACCACAGAGCACCAGAAAGCTGCCTTC
GGGGAGGGGCTGACTGCCAGATGACTTGTGAGAACAAAACCCATGTTTTCCCATACAACCTCCCGGAG
GAGGCCCGGGCCGCGCGGGCACCGCTGTCTGCCCTTACCGCTCTCGGCCGCTGCCGCACCGGG
GACCAAGGCGCGCTCTTTGGGAACCTGTCCACGGCCAACCCGCGGACGAGATGAACGGGTTGACCTCG
TTCTGGACGCGTCCACCGTGTATGGCAGCTCCCGGCCCTAGAGAGGCAGCTGCGGAACTGGACCACT
GCCGAAGGGTGTCTCCGCTCCACGCGCGCTCCGGGACTCCGGCCGCGCTACCTGCCCTTCGTGCCG
CCACGCGCGCTGCGGCTGTGCGCCGAGCCGGCATCCCGGAGAGACCCGCGGGCCCTGCTTCTGTG
GCCGAGACGGCCGCGCCAGCGAGGTCCCTCCCTGACGGCACTGCACACGCTGTGGTGCAGGAGCAC
AACCGCTGGCCGCGGCTCAAGGCCCTCAATGCGCACTGGAGCGCGGACGCGGTGTACCAGAGGGCG
CGCAAGGTGCGGGCGCTCTGCACAGATCATCACCTGAGGATTACATCCCCAGGACTCTGGGACCC
GAGGCCTTCCAGCAGTAGTGGTCCCTATGAAGGCTATGACTCCACCGCAACCCCACTGTGTCCAAC
GTGTTCTCCACAGCCGCTTCCGCTTCCGCCATGCCACGATCCACCCGCTGGTGAGGAGGCTGGAGCC
AGCTTCCAGGAGCACCCGACCTGCCGGGCTGTGGTGCACAGGCTTTCTTACGCCATGGACATTA
CTCCGTGGAGGTGGTTTGGACCCACTAATACGAGGCTTCTTGCAAGACCAGCCAACTGCAGGTGCAG
GATCAGCTGATGAACGAGGAGCTGACGGAAGGCTCTTTGTGCTGTCCAATCCAGCACCTGGATCTG
GCGTCCATCAACCTGCAGAGGGCCGGGACCACGGGCTGCCAGGTTACAATGAGTGAGGAGGATTCTGC
GGCTGCCTGCCTGGAGACCCCGCTGACCTGAGCACAGCCATGCCAGCAGGAGCGTGGCCGACAAG
ATCCTGGACTTGTACAAGCATCCTGACAACATCGATGTCTGGCTGGGAGGCTTAGCTGAAAACCTCCTC
CCAGGGCTCGGACAGGGCCCTGTTTGCCTGTCTCATTGGGAAGCAGATGAAGGCTCTGCGGGACGGT
GACTGGTTTTGGTGGGAGAACAGCCACGTCTTACGGATGCACAGAGGCGTGAGCTGGAGAAGCACTCC
CTGTCTCGGGTCACTGTGACAACACTGGCCTCACCAGGGTGCCCATGGATGCCTTCAAAGTCGGAAA
TTCCCCGAAGACTTTGAGTCTTGTGACAGCATCACTGGCATGAACCTGGAGGCTGGAGGGAAACCTTT
CCTCAAGACGACAAGTGTGGCTTCCAGAGAGCGTGGAGAATGGGACTTTGTGCACTGTGAGGAGTCT
GGGAGGCGGTGCTGGTGTATTCTGCCGACGGGATGAGCTCCAAGGCCGGGAGCAGCTCACTTGC
ACCCAGGAAGGATGGGATTTCCAGCCTCCCTCTGCAAAGATGTGAACGAGTGTGCAGACGGTCCCCAC
CCCCCTGCCACGCTCTGCGAGGTGCAGAAACACCAAAGCGGCTTCCAGTGTCTCTGCCGCGACCC
TACGAGTTAGGAGACGATGGGAGAACCTGCGTAGACTCCGGGAGGCTCCCTCGGGTGAATGGATCTCC
ATGTCGCTGGCTGCTGCTGATCGGAGGCTTCGAGGCTCACCTCGACGGTGATTTGCAGGTGGACA
CGCACTGGCACTAAATCCACACTGCCATCTCGGAGACAGGCGGAGGAACTCCCGAGCTGAGATGCGGA
AAGCACCAGGCGTAGGGACCTACCGCAGCGGGCCGAGCTCAGGACTCGGAGCAGGAGAGTGCTGG
ATGGAAGGCCGGATACTCACAGGCTGCCGAGGCCCTCTGA
  
```

Restriction Sites: SgfI-NotI
ACCN: NM_001206744
Insert Size: 2802 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001206744.1
RefSeq Size:	3151 bp
RefSeq ORF:	2802 bp
Locus ID:	7173
UniProt ID:	P07202
Cytogenetics:	2p25.3
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Transmembrane
Protein Pathways:	Autoimmune thyroid disease, Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, Jak-STAT signaling pathway, Metabolic pathways, Tyrosine metabolism
MW:	103 kDa
Gene Summary:	<p>This gene encodes a membrane-bound glycoprotein. The encoded protein acts as an enzyme and plays a central role in thyroid gland function. The protein functions in the iodination of tyrosine residues in thyroglobulin and phenoxy-ester formation between pairs of iodinated tyrosines to generate the thyroid hormones, thyroxine and triiodothyronine. Mutations in this gene are associated with several disorders of thyroid hormonogenesis, including congenital hypothyroidism, congenital goiter, and thyroid hormone organification defect IIA. Multiple transcript variants encoding distinct isoforms have been identified for this gene, but the full-length nature of some variants has not been determined. [provided by RefSeq, May 2011]</p> <p>Transcript Variant: This variant (6) lacks a segment in the 5' UTR and encodes the same isoform (a, also known as TPO1), compared to variant 1.</p>