

Product datasheet for **SC335945**

5HT4 Receptor (HTR4) (NM_001286410) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	5HT4 Receptor (HTR4) (NM_001286410) Human Untagged Clone
Tag:	Tag Free
Symbol:	HTR4
Synonyms:	5-HT4; 5-HT4R
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC335945 representing NM_001286410. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGACAAACTTGATGCTAATGTGAGTTCTGAGGAGGTTTCGGGTCAGTGGAGAAGGTGGTCTGCTC
ACGTTTCTCTCGACGGTTATCCTGATGGCCATCTGGGGAACCTGCTGGTATGGTGGCTGTGTCTGG
GACAGGCAGCTCAGGAAAATAAAAACAAATTTTCATTGTATCTCTTGGTTTTGCGGATCTGCTGGTT
TCGGTCTGGTATGCCCTTTGGTGCCATTGAGCTGGTCAAGACATCTGGATTTATGGGAGGTGTTT
TGTCTTGTTCGGACATCTCTGGACGTCCTGCTCACAACGGCATCGATTTTTCACCTGTGCTGCATTTCT
CTGGATAGGTATTACGCCATCTGCTGCCAGCCTTTGGTCTATAGGAACAAGATGACCCCTCTGCGCATC
GCATTAATGTGGGAGGCTGCTGGGTATCCCCACGTTTATTTCTTTTCTCCCTATAATGCAAGGCTGG
AATAACATTGGCATAATTGATTTGATAGAAAAGAGGAAGTTCAACCAGAACTCTAACTCTACGACTGT
GTCTTCATGGTCAACAAGCCCTACGCCATCACCTGCTCTGTGGTGGCCTTCTACATCCCATTCTCCTC
ATGGTGTGGCCTATTACCGCATCTATGTCACAGCTAAGGAGCATGCCCATCAGATCCAGATGTTACAA
CGGGCAGGAGCCTCCTCCGAGAGCAGGCCTCAGTCGGCAGACCAGCATAGCACTCATCGCATGAGGACA
GAGACCAAGCAGCCAAGACCCTGTGCATCATATGGGTTGCTTCTGCCTCTGCTGGCACCATTCTTT
GTCACCAATATTGTGGATCCTTTTCATAGACTACACTGTCCCTGGGAGGTGTGGACTGCTTTCTCTGG
CTCGGCTATATCAATTCCGGGTTGAACCCTTTTCTACGCCTTCTTGAATAAGTCTTTAGACGTGCC
TTCTCATCATCCTCTGCTGTGATGATGAGCGCTACCGAAGACCTTCCATTCTGGGCCAGACTGTCCCT
TGTTCAACCACAACCATTAATGGATCCACACATGTACTAAGTTCTGGAACGAAACCAGAGGAAGAAA
CTTTGGAATAAGGAAGAGAAGATTGACCAAAACCATCCAAATGCCAAAAGAAAAAGAAAAAAGGCC
TCTCTGCTCATGAAGACTTAATTCTGTTGGGAGAAAGTCATGTTTTAGGGAAGGAAAAAGTAG
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online >](#)

Plasmid Map:


ACCN: NM_001286410

Insert Size: 1236 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001286410.1](#)

RefSeq Size: 1283 bp

RefSeq ORF: 1236 bp

Locus ID: 3360

UniProt ID: [Q13639](#)

Cytogenetics: 5q32

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Calcium signaling pathway, Neuroactive ligand-receptor interaction

MW: 46.9 kDa

Gene Summary: This gene is a member of the family of serotonin receptors, which are G protein coupled receptors that stimulate cAMP production in response to serotonin (5-hydroxytryptamine). The gene product is a glycosylated transmembrane protein that functions in both the peripheral and central nervous system to modulate the release of various neurotransmitters. Multiple transcript variants encoding proteins with distinct C-terminal sequences have been described. [provided by RefSeq, May 2010]

Transcript Variant: This variant (c) has a shorter 5' UTR and uses an alternate exon in the 3' UTR and coding region. The encoded isoform (c) is shorter and has a distinct C-terminus compared to isoform b. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.