

Product datasheet for **SC336358**

PI 3 Kinase p55 gamma (PIK3R3) (NM_001303428) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PI 3 Kinase p55 gamma (PIK3R3) (NM_001303428) Human Untagged Clone
Tag:	Tag Free
Symbol:	PIK3R3
Synonyms:	p55; p55-GAMMA; p55PIK
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF: >SC336358 representing NM_001303428.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCTGTCTGCCCCCTCCCGCGCGGTTGGGTGGCGCCTCAGCGCGCGATGTACAATACGGTGTGG
AGTATGGACCGCGATGACGCAGACTGGAGGGAGTGTATGCCCTATTCGACAGAACTGATATTTTAT
ATTGAAATGGATCTCCAGCTCTCCACCAAGCCACCTAAGCCAATGACTTCAGCAGTTCCAAATGGA
ATGAAGGACAGTTCTGTTTCTCTTCAGGATGCAGAATGGTACTGGGGGATATTTCAAGGAGGAGGTA
AATGACAAATTGCGGGATATGCCAGATGGGACCTTCTTGGTCCGAGATGCCTCAACAAAAATGCAGGGA
GATTATACTTTGACTTTGCGGAAGGAGGCAATAAAGTTAATAAAGATCTATCACCGGGATGGTAAA
TATGGCTTTTCTGATCCTCTGACATTTAATCCGTGGTGGAGCTCATAACCACTATCCCATGAATCT
CTTGCTCAGTACAATCCAAACTTGATGTGAAGCTGATGTACCCAGTGTCCAGATACCAACAGGATCAG
TTGGTAAAAGAAGATAATATTGATGCAGTAGGTAAGGCAAGTCAAGAATACCACTCTCAGTATCAGGAG
AAGAGTAAAGAGTATGATAGGCTGTATGAAGAATACTAGAACATCCCAGGAAATACAGATGAAGAGG
ACTGCAATAGAAGCTTTTAAATGAAACAATTAATAATTTGAAGAGCAGTGTACACACAAGAACAACAT
AGCAAAGAATATATTGAGCGATTTCCGACAGAGGGGAATGAAAAGGAGATTGAACGAATTATGATGAAT
TATGATAAATTGAAATCACGTCTGGGTGAGATTCATGATAGCAAAATGCGTCTAGAGCAGGATTTGAAG
AATCAAGCTTTGGACAACCGAGAAATAGATAAAAAATGAATAGCATCAAACCTGACCTGATCCAGCTG
CGAAAGATCCGAGATCAACACCTTGATGGCTCAATCACAAAGGAGTGAGACAGAAACGCCTGAATGTC
TGGCTGGGAATTAAGAATGAGGATGCTGATGAGAACTATTTATCAATGAGGAAGATGAAAACCTGCC
CATTATGATGAGAAAACCTGGTTTGGTGGAGATATCAATCGAGTACAAGCAGAGGACTTGGTTTATGGG
AAACCTGATGGTGCATTCTTAATTCGTGAGAGTAGCAAGAAAGGATGCTATGCTTGTCTGTGGTGGCC
GATGGGGAAGTGAAGCACTGTGTGATCTACAGCACTGCTCGGGGCTATGGCTTTGCAGAGCCCTACAC
CTGTACAGCTCTCTGAAGGAGCTAGTGCTCCATTACCAGCAGACATCCTTGGTTCAGCACACGACTCC
CTCAACGTCAGGCTTGCCTACCTGTTTCATGCACAGATGCCCTCGCTTTGCAGATTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001303428

Insert Size: 1437 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001303428.1
RefSeq Size:	5037 bp
RefSeq ORF:	1437 bp
Locus ID:	8503
Cytogenetics:	1p34.1
Protein Families:	Druggable Genome
Protein Pathways:	Acute myeloid leukemia, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Glioma, Insulin signaling pathway, Jak-STAT signaling pathway, Leukocyte transendothelial migration, Melanoma, mTOR signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Phosphatidylinositol signaling system, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, Small cell lung cancer, T cell receptor signaling pathway, Toll-like receptor signaling pathway, Type II diabetes mellitus, VEGF signaling pathway
MW:	56.1 kDa

Gene Summary:

Phosphatidylinositol 3-kinase (PI3K) phosphorylates phosphatidylinositol and similar compounds, which then serve as second messengers in growth signaling pathways. PI3K is composed of a catalytic and a regulatory subunit. The protein encoded by this gene represents a regulatory subunit of PI3K. The encoded protein contains two SH2 domains through which it binds activated protein tyrosine kinases to regulate their activity. [provided by RefSeq, Jun 2016]

Transcript Variant: This variant (4) contains an alternate exon and uses an alternate splice site in the 5' coding region. These differences cause translation initiation at an upstream start codon compared to variant 1. The encoded isoform (3) has a longer N-terminus than isoform 1.