

Product datasheet for **SC336657**

VPS52 (NM_001289176) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	VPS52 (NM_001289176) Human Untagged Clone
Tag:	Tag Free
Symbol:	VPS52
Synonyms:	ARE1; dj1033B10.5; SAC2; SACM2L
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF: >SC336657 representing NM_001289176.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAGCAGATGTTGGGAGCTTTTCAGAGTGACCTCAGCTCCATCAGCTCTGAGATCCGGACACTGCAG
GAACAGTCAGGAGCCATGAACATTCGACTTCGAAATCGCCAGGCAGTTTCGGGGGAAACTTGGGGAGCTT
GTTGATGGTCTGGTGGTGCCTTCGCTCTGGTACGGCAATTCTGGAGGCTCCAGTGACAGAGCCCAAG
TTCTTGAGCAGCTACAGGAGCTGGATGCCAAGGCAGCCGAGTCAGAGAGCAGGAAGCTAGAGGCACA
GCAGCCTGCGCAGATGTCAGAGGCGTGCTCGATCGGCTCCGGTCAAGGCAGTGACGAAGATCCGAGAG
TTTATCTCCAGAAGATTTATTCCTTCAGGAAACCCATGACCAACTATCAGATCCCCAGACGGCCCTG
CTGAAGTACAGTTCTTCTATCAGTTTCTGCTGGGCAATGAACGAGCAACAGCAAAGGAGATCAGGGAT
GAATATGTGGAGACGCTGAGCAAGATTTACCTGTCTTACTACCGCTTACTCTGGGGCGGCTCATGAAG
GTGCAGTATCCATTTGAGGCCCTTCCGACGCCAGCACTACGCCCTCTAGACAATTCCTGCCCGGAA
TACCTTTTCATCTGTGAATTTTTGTTGTGTCTGGCCAGCTGCACACGACCTGTTCCATGCTGTATG
GGCCGTACTACTAGCATGACCTGAAACACCTGGATTCTTATCTAGCTGACTGCTACGATGCCATTGCT
GTTTTTCTCTGTATCCACATTGTTCTCCGGTCCGTAACATTGCAGCAAAGAGGGATGTTCTGCCCTG
GACAGGTAAGTGGGAACAGGTGCTTGCCCTTGTATGGCCACGGTTGAACTGATCCTGGAGATGAATGTT
CAGAGCGTCCGAAGCACTGACCCCGAGCGCTAGGGGGTTGGATACTCGGCCCACTATATCACACGC
CGCTATGCAGAGTTCTCCTCCGCTTGTGTCAGTATCAACCAGACAATTCCTAATGAACGGACCATGCAA
TTGCTGGGACAGCTGCAGGTGGAGTGGAGAATTTGTCTCCGAGTGGCAGCTGAGTTCTCCTCAAGG
AAGGAGCAGCTTGTGTTCTGATCAACAATATGACATGATGCTGGTGTGCTGATGGAGCGGGCTGCA
GATGACAGCAAAGAGGTTGAGAGCTTCCAGCAGCTGCTCAATGCTCGGACACAGGAATTCATTGAAGAG
TTGCTGTCTCCCTTTTGGGGGTTTAGTGGCATTGTGAAGGAGGCTGAGGCTTTGATTGAGCGTGGGA
CAGGCTGAGCGACTTCGAGGGGAAGAAGCCCGGTAACCTCAGCTGATCCGTGGCTTTGGTGTCTGG
AAATCATCAGTGGAACTCTGAGTCAAGATGTAATGCGGAGTTTACCAACTTCAGAAATGGCACCAGT
ATCATTACGGGAGCGCTGACCCAGCTGATCCAGCTCTATCATCGTTCCACCGGGTGTGTCCAGCCG
CAGCTCCGAGCCCTCCCTGCCGGGCTGAGCTCATCAACATTCACCACCTTATGGTGGAGCTCAAGAAG
CATAAGCCCAACTTCGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites:

Sgfl-MluI

Plasmid Map:



ACCN:	NM_001289176
Insert Size:	1605 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001289176.1</u>
RefSeq Size:	2535 bp
RefSeq ORF:	1605 bp
Locus ID:	6293
UniProt ID:	<u>Q8N1B4</u>
Cytogenetics:	6p21.32
MW:	61.4 kDa
Gene Summary:	<p>This gene encodes a protein that is similar to the yeast suppressor of actin mutations 2 gene. The yeast protein forms a subunit of the tetrameric Golgi-associated retrograde protein complex that is involved in vesicle trafficking from from both early and late endosomes, back to the trans-Golgi network. This gene is located on chromosome 6 in a head-to-head orientation with the gene encoding ribosomal protein S18. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2014]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR and the 5' coding region and initiates translation at a downstream start codon, compared to variant 1. It encodes isoform 4, which is shorter than isoform 1.</p>