

Product datasheet for **SC336863**

OTOP3 (NM_001272005) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OTOP3 (NM_001272005) Human Untagged Clone
Tag:	Tag Free
Symbol:	OTOP3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC336863 representing NM_001272005.
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCCTCTCCCGCCTCAGCCCCTGCTGAGGCTACACCCATGCCTTCTTCAGAAGCACAGGAGACTGAA
GCAGCCCCGGAGAAGGAGAACCAGTGGATGTGGGGCCGAGGAGAGAGCGGCCGCCACCCGGCCCCGG
CAGAAGTCCCTGGCTGGTGAAGCATTCTCTCTGCTGCTGCGGCGGGACCGCAGGCCAGAAAGGCTGGA
CAACTCTTCTCGGGCTCCTGGCCCTGAATGTGGTGTTCCTGGGTGGCGCCTTACTCTGCAGCATGATC
TTCAACAAGGTGGCCGCTCACTCTGGGTGACGTGTGGATCCTGCTGGCCACGCTGAAGTCTCTCCCTG
CTTTGGCTTCTACTATGTGGCAAGCACCACCCGCCACACACGCCGTGCTCTACCAAGATCCCCAC
GCGGGGCCCTCTGGGTGCGGGTTCCTAGTGTCTTCGGCAGCTGCACCTTCTGCCTCAACATCTTC
CGAGTGGCTACGATGTGAGCCACATCCGCTGCAAGTACAGCTGGACCTGTCTTCTGTGCATCGAG
ATGGTCTTCATCGGCGTCCAGACCTGGGTGCTCTGAAACACTGCAAAGACTGTGTTCCGGTCCAGACC
AACTTCACTAGGTGTGGCCTGATGCTGACCCTGGCCACAACCTGCTGCTGTGGTCTGGCCGTTACC
AATGACTCCATGCACCGAGAGATCGAAGCTGAGCTTGGCATCCTCATGGAAAAATCCACAGGCAATGAG
ACCAACACCTGTCTGTGCTCAATGCCACCGCGTGTGAAGCTTCCGGAGAGGCTTCTGATGCTCTAC
CCCTTCAGCACTGAGTACTGCCTCATCTGCTGTGCTGTGCTGTTGTGATGTGGAAGAAGTGGGCCGC
CACGTGGCACCCACATGGGTGCCACCCTGCCACCGCACCTTCCACCTGCACGGGGCCATCTTCGGG
CCGCTGCTGGGCCTGCTGGTGTGCTGGCAGGTGTGTGCGTCTTTGTGCTCTTCCAAATCGAGGCCAGT
GGCCCTGCCATTGCTTGCCAGTACTTACCCTCTACTATGCCTTCTATGTGGCTGTGCTGCCACCATG
AGTCTGGCGTGCCTGGCGGCACAGCCATACACGGGCTGGAGGAGAGAGCTGGACACGGTCAAGAAC
CCTACCCGCAGCCTGGATGTGGTGTGCTAATGGGTGCTGCACTGGGCCAGATGGGCATCGCCTATTTCT
TCCATCGTGGCCATTGTGGCCAAGCGCCCGCATGAGCTGCTCAACCGCCTCATCCTGGCCTACTCGCTG
CTGCTCATCCTGCAGCACATCGCTCAGAACCTTTCATCATCGAGGGCCTGCACCGGCCGCCACTCTGG
GAGACAGTTCCTGAGGGCCTGGCAGGAAAGCAGGAGGCTGAGCCTCCCCGAGAGGCTCCTTGTGGAG
CTGGGCCAGGGCCTGCAGCGGCCTCACTGGCCTACATCCACTCCTACAGCCACCTCAACTGGAAGCGG
AGGGCACTCAAGGAGATCTCACTTCTCCTCATCCTCTGCAATATCACACTGTGGATGATGCCTGCATTT
GGCATAACCCGGAGTTTGAGAACGGGCTAGAAAAGGATTTCTACGGCTACCAGATATGGTTCGCCATC
GTCAACTTCGGCCTGCCTCTGGGGTCTTCTACCGCATGCACTCTGTGGGAGGCCTGGTGGAGGTCTAC
CTGGGGCCCTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul

Plasmid Map:


ACCN: NM_001272005

Insert Size: 1737 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001272005.1](#)

RefSeq Size: 2433 bp

RefSeq ORF: 1737 bp

Locus ID: 347741

UniProt ID: [Q7RTS5](#)

Cytogenetics: 17q25.1

Protein Families: Transmembrane

MW: 64.4 kDa

Gene Summary:

Proton-selective channel that specifically transports protons into cells. Proton-selective channel activity is probably required in cell types that use changes in intracellular pH for cell signaling or to regulate biochemical or developmental processes.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) uses alternate splice sites at the end of two exons compared to variant 1. The resulting isoform (2) has a shorter and distinct N-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.