

Product datasheet for **SC337706**

MOV10 (NM_001286072) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MOV10 (NM_001286072) Human Untagged Clone
Tag:	Tag Free
Symbol:	MOV10
Synonyms:	fSAP113; gb110
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001286072, the custom clone sequence may differ by one or more nucleotides

```

ATGCTGTATGGAATGAAGATTGCAAATCTGGCCTACGTCACCAAGACTCGGGTCAGGTTCTTCAGACTCG
ACCGCTGGGCCGACGTGCGGTTCCAGAAAAGAGGAGAATGAAGCTGGGGTCAGATATCAGCAAACACCA
CAAGTCACTGCTAGCCAAGATCTTTTATGACAGGGCTGAGTATCTTCATGGGAAACATGGTGTGGATGTG
GAAGTCCAGGGGCCCATGAAGCCCAGAGTGGGCAGCTCCTTATCCGCCTGGATTTGAACCGCAAAGAGG
TGCTGACCCTGAGGCTTCGGAATGGCGGAACCCAGTCTGTTACCCTCACTCACCTCTTCCCACTCTGCCG
GACACCCCAAGTTTCTTCTACAATGAAGACCAGGAGTTGCCCTGTCCACTGGGCCCCGGTGAATGCTAT
GAACTCCATGTCCATTGTAAGACCAGCTTTGTGGGCTACTTCCAGCCACAGTGTCTGGGAGCTGCTGG
GACCTGGGGAGTCGGGTTCAGAAGGAGCCGGCACATTCTACATTGCCCGTTCTTGGCTGCCGTCGCCCA
CAGCCCCCTGGCTGCACAGCTGAAGCCCATGACTCCCTTCAAGCGGACCCGGATCACCAGAAACCTGTG
GTGACCAATCGGATAGAGGAAGGAGAGACCTGACCGCGCTAAGGGCTATGACCTGGAGTTAAGTATGG
CGCTGGGGACATACTACCACCTCCCCGCCTCAGGCAGTGTCTCCCATGCTTCTCAGGGAACAAGTAT
CTTCACTGCCCTAAGGAGATCGCAGAGATCAAGGCCAGCTGGAGACAGCCCTGAAGTGGAGGAACTAT
GAGGTGAAGCTGCGGCTGCTGCTGCACCTGGAGGAACTGCAGATGGAGCATGATATCCGGCACTATGACC
TGGAGTCGGTGCCATGACCTGGGACCCTGTGGACCAGAACCCAGGCTGCTCACGCTGGAGGTTCTCGG
AGTGACTGAGAGCCGCCCTCAGTGCTACGGGGCAGCACCTGTTTGGCCTTTGTCTCGGAGACACAC
CAGGAGGACCCCATCACATATAAGGGCTTTGTGCAACAAGTGGAATTGGACCGTGTCAAGCTGAGCTTTT
CCATGAGCCTCCTGAGCCGCTTTGTGGATGGGCTGACCTTCAAGGTGAACCTTACCTTCAACCGCCAGCC
GCTCGGAGTCCAGCACCGTGCCTGGAGCTGACAGGGCGCTGGCTGCTGTGGCCATGCTCTTTCCTGTA
GCACCTCGGGACGTCCTGCTGCTGCCCTCAGATGTGAAACTCAAGCTGTACGACCCGAGCTGGAGTCAA
ACCCAGAGCAGCTGCAGGCCATGAGGCACATTGTTACGGGCACCACCCGTCAGCCCTACATCATCTT
TGGGCCTCCAGGCACCGCAAGACTGTCACGTTAGTGGAGGAATTAAGCAGGTGGTGAAGCACTTGCCC
AAAGCCCACATCTTGGCCTGCGCTCCATCCAACCTCAGGGGCTGACCTACTCTGTCAAAGGCTCCGGGTCC
ACCTTCTAGCTCCATCTACCGCTCCTGGCCCCAGCAGGGACATCCGCATGGTACCTGAGGACATCAA
GCCCTGCTGCAACTGGGACGCAAAGAAGGGGGAGTATGTATTTCCCGCCAAGAAGAAGCTGCAGGAATAC
CGGGTCTTAATTACCACCCTCATCACTGCCGGCAGGTTGGTCTCGGCCAGTTTCCCATTGATCACTTCA
CACACATCTTCATCGATGAGGCTGGCCACTGCATGGAGCCTGAGAGTCTGGTAGCTATAGCAGGGCTGAT
GGAAGTAAAGGAAACAGGTGATCCAGGAGGGCAGCTGGTGTGGCAGGAGACCCTCGGCAGCTGGGGCT
GTGCTGCGTTCCCACTGACCCAGAAGCATGGACTGGGATACTACTGCTGGAGCGGCTGCTCACCTACA
ACTCCCTGTACAAGAAGGGCCCTGATGGCTATGACCCCAAGTTCATAACCAAGCTGCTCCGCAACTACAG
GTCTCATCCCACCATCTGGACATTCTAACCGCTCTATTATGAAGGGGAGCTGCAGGCCTGTGCTGAT
GTCGTGGATCGAGAACGCTTCTGCCGCTGGGCGGGCCTACCTCGACAGGGCTTTCCCATCATCTTTCAGC
GCGTAATGGGCAAAGATGAGCGTGAAGGCAACAGCCCATCTTCTTCAACCCTGAAGAGGCTGCCACAGT
GACTTCTACCTGAAGCTGCTCCTGGCCCCCTCCTCCAAGAAGGGCAAAGCTCGCCTGAGCCCTCGAAGT
GTGGGCGTCATCTCCCCGTACCGGAAACAGGTGGAGAAAATCCGTTACTGCATCACCAAACCTGACAGGG
AGCTTCGAGGACTGGATGACATCAAGGACTTGAAGGTGGGTTCAAGTGAAGAATTCCAAGGCCAAGAACG
AAGCGTCATCCTCATCTCCACCGTGCAGAGCAGCCAGAGCTTTGTGCAGCTGGATCTGGACTTTAATCTG
GGTTTCTTAAGAACCCCAAGAGGTTCAATGTAGCTGTGACCCGGGCCAAGGCCCTGCTCATCATCGTGG
GGAACCCCTTCTCCTGGCCATGACCCTGACTGGAAAGTATTCTGGAGTTCTGTAAAGAAAACGGAGG
GTATACCGGGTGTCCCTTCCCTGCCAAACTGGACCTGCAACAGGGACAGAAATTTACTGCAAGGTCTGAGC
AAGCTCAGCCCCCTACCTCAGGGCCCCACAGCCATGACTACCTCCCCAGGAGCGGGAGGGTGAAGGGG
GCCTGTCTCTGCAAGTGGAGCCAGAGTGGAGGAATGAGCTTGA
    
```

Restriction Sites: Sgfl-Mlul
ACCN: NM_001286072

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001286072.1 , NP_001273001.1
RefSeq Size:	4515 bp
RefSeq ORF:	2844 bp
Locus ID:	4343
UniProt ID:	Q9HCE1
Cytogenetics:	1p13.2
Gene Summary:	5' to 3' RNA helicase contributing to UPF1 mRNA target degradation by translocation along 3' UTRs (PubMed:24726324). Required for microRNA (miRNA)-mediated gene silencing by the RNA-induced silencing complex (RISC). Required for both miRNA-mediated translational repression and miRNA-mediated cleavage of complementary mRNAs by RISC (PubMed:16289642, PubMed:17507929, PubMed:22791714). In cooperation with FMR1, regulates miRNA-mediated translational repression by AGO2 (PubMed:25464849). Restricts retrotransposition of long interspersed element-1 (LINE-1) in cooperation with TUT4 and TUT7 counteracting the RNA chaperone activity of L1RE1 (PubMed:30122351, PubMed:23093941). Facilitates LINE-1 uridylation by TUT4 and TUT7 (PubMed:30122351). Required for embryonic viability and for normal central nervous system development and function. Plays two critical roles in early brain development: suppresses retroelements in the nucleus by directly inhibiting cDNA synthesis, while regulates cytoskeletal mRNAs to influence neurite outgrowth in the cytosol (By similarity). May function as a messenger ribonucleoprotein (mRNP) clearance factor (PubMed:24726324).[UniProtKB/Swiss-Prot Function]