

## **Product datasheet for SR412885**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### S1pr1 Mouse siRNA Oligo Duplex (Locus ID 13609)

#### **Product data:**

**Product Type:** siRNA Oligo Duplexes

Purity: HPLC purified

Quality Control: Tested by ESI-MS

Sequences: Available with shipment

**Stability:** One year from date of shipment when stored at -20°C.

# of transfections: Approximately 330 transfections/2nmol in 24-well plate under optimized conditions (final

conc. 10 nM).

**Note:** Single siRNA duplex (10nmol) can be ordered.

 RefSeq:
 NM 007901

 UniProt ID:
 008530

**Synonyms:** Al849002; Edg1; Lpb1; S; S1; S1p; S1p1

Components: S1pr1 (Mouse) - 3 unique 27mer siRNA duplexes - 2 nmol each (Locus ID 13609)

Included - SR30004, Trilencer-27 Universal Scrambled Negative Control siRNA Duplex - 2 nmol

Included - SR30005, RNAse free siRNA Duplex Resuspension Buffer - 2 ml

**Summary:** This gene encodes a G-protein-coupled receptor bound by the lysophospholipid, sphingosine

1-phosphate. The gene product functions in endothelial cells and is involved in vascular and heart development. This receptor is highly expressed in T and B lymphocytes, and it plays a role in T cell and B cell export from peripheral lymphoid organs. This protein is bound and downregulated by FTY720, an exogenous immunosuppressant drug studied in mouse

disease models for multiple sclerosis in humans. [provided by RefSeq, Jan 2010]



# Performance Guaranteed:

OriGene guarantees that at least two of the three Dicer-Substrate duplexes in the kit will provide at least 70% or more knockdown of the target mRNA when used at 10 nM concentration by quantitative RT-PCR when the TYE-563 fluorescent transfection control duplex (cat# SR30002) indicates that >90% of the cells have been transfected and the HPRT positive control (cat# SR30003) provides 90% knockdown efficiency.

For non-conforming siRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the siRNA kit. To arrange for a free replacement with newly designed duplexes, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled siRNA control (quantitative RT-PCR data required).