

Product datasheet for TA150034

Anti-HA tag rabbit polyclonal antibody

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Tag Antibodies
Product Name:	Anti-HA tag rabbit polyclonal antibody
Applications:	IF, IP, WB
Recommended Dilution:	WB: 1:500-1:3000, ICC/IF: 1:100-1:500, IP:1:500
Reactivity:	HA tag
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Synthetic peptide contain a sequence corresponding to a region of HA Tag
lsotype:	lgG
Formulation:	PBS (pH7.0) containing 1% BSA, 20% glycerol
Concentration:	lot specific
Conjugation:	Unconjugated
Storage:	Store at -20°C. For maximum recovery of product, centrifuge the original vial after thawing and prior to opening the cap. Aliquot to avoid repeated freezing and thawing.
Stability:	Stable for 1 year at -20°C from date of shipment.
Synonyms:	ANTI-HA; Anti-HA Antibody; Anti HA; Anti HA Antibody; ANTI INFLUENZA



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:




Western blot analysis of extracts from untransfected control cells and transfected cells overexpressing HA-tagged protein (~17 kDa) using HA-tag antibody. A: Non-transfected lysate. B: Transfected lysate.





Immunofluorescence analysis of HA-recombinant protein transfected HeLa cell which fixed with paraformaldehyde, using HA Tag antibody (TA150034) at 1:500 dilution.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



HA-tagged protein was immunoprecipitated from transfected cells using 5 ug of anti-HA tag antibody (TA150034). The precipitated HA-tagged protein was detected by TA150034 diluted at 1:1000, and used anti-rabbit IgG as secondary reagent. 12% SDS PAGE, TA150034 diluated at 1:2000.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US