

## **Product datasheet for TA150041**

### **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Mouse monoclonal turboGFP antibody, clone OTI2H8

#### **Product data:**

**Product Type:** Tag Antibodies

**Product Name:** Mouse monoclonal turboGFP antibody, clone OTI2H8

Clone Name: OTI2H8 (formerly 2H8)

Applications: IF, WB

**Recommended Dilution:** WB: 1:1000-1:2000, IF: 1:100

Reactivity: tGFP
Host: Mouse

Clonality: Monoclonal

Immunogen: Anti-tGFP monoclonal antibody was produced by immunizing mice with purified tGFP protein

expressed in HEK293T cell.

**Isotype:** IgG2b

Formulation: PBS (pH7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide

Concentration: 1 mg/ml


Conjugation: Unconjugated Storage: Store at -20°C.

**Stability:** Stable for 1 year at -20°C from date of shipment.

Predicted Protein Size: 26 kDa



# **Product images:**



Immunoblot analysis of randomly picked 7 different tGFP tagged over-expression lysates with 2H8 anti-tGFP monoclonal antibody (TA150041) at 1:2000 dilution.




Figure from citation: Western blot analysis of tGFP fused protein level by using anti-tGFP antibody in 293T cells. <u>View Citation</u>

WB: GFP (DMAP1) WB: HA

(TIP60)

WB: HA (higher exposure)








Figure from citation: Western Blot of tGFP-fused protein level by using anti-tGFP antibody in 293A cells. Dilution: 1:1000 <u>View Citation</u>



Cos7 cells transiently transfected with turboGFP tagged BID ORF cDNA clone ([RC100007]) for mitochondria marking were immuno-stained with OriGene 2H8 anti-turboGFP antibody (TA150041, 1:100), and then stained red with an Alexa-568 conjugated secondary antibody (1:1000).



Cos7 cells transiently transfected with turboGFP tagged LAMP1 ORF cDNA clone ([RC100016]) for lysosome marking were immuno-stained with OriGene 2H8 anti-turboGFP antibody (TA150041, 1:100), and then stained red with an Alexa-568 conjugated secondary antibody (1:1000).







Figure from citation: Immunofluorescence of tGFP-fused protein level by using anti-tGFP antibody in mouse E18 hippocampal pyramidal neurons. Dilution: 1:250 <u>View Citation</u>



Immunoprecipitation (IP) of recombinant tGFP fusion protein from overexpression lysate made with HEK293T cells transfected by plasmid expressing tGFP-DDK. The immunoprecipitated tGFP fusion protein was analyzed by immunoblot with rabbit anti-DDK polyclonal antibody. (Left lane: Negative control, IP without adding TA150041)




Figure from citation: ChIP of tGFP-fused protein level by using anti-tGFP antibody in human Panc1 cells. <u>View Citation</u>