

Product datasheet for TA321380

PARP1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela, K562 and Jurkat cells

IHC: 50-200

Positive control: Human ovarian cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 12-21 amino acids of human poly

(ADP-ribose) polymerase 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 113 kDa

Gene Name: poly(ADP-ribose) polymerase 1

Database Link: NP 001609

Entrez Gene 11545 MouseEntrez Gene 25591 RatEntrez Gene 142 Human

P09874



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


This gene encodes a chromatin-associated enzyme; poly(ADP-ribosyl)transferase; which modifies various nuclear proteins by poly(ADP-ribosyl)ation. The modification is dependent on DNA and is involved in the regulation of various important cellular processes such as differentiation; proliferation; and tumor transformation and also in the regulation of the molecular events involved in the recovery of cell from DNA damage. In addition; this enzyme may be the site of mutation in Fanconi anemia; and may participate in the pathophysiology of type I diabetes.

Synonyms: ADPRT; ADPRT 1; ADPRT1; ARTD1; pADPRT-1; PARP; PARP-1; PPOL

Protein Families: Druggable Genome, Stem cell - Pluripotency, Transcription Factors

Protein Pathways: Base excision repair

Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-3: Hela cells K562 cells Jurkat cells


Primary antibody: TA321380 (PARP1 Antibody) at

dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 1 second




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA321380 (PARP1 Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA321380 (PARP1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321380 (PARP1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321380 (PARP1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)