

Product datasheet for TA321871

NIT2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse liver and kidney tissue

IHC: 50-200

Positive control: Human ovarian cancer Predicted cell location: Cytoplasm, Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 264-276 amino acids of Human

itrilase family, member 2

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 31 kDa

Gene Name: nitrilase family member 2

Database Link: NP 064587

Entrez Gene 52633 MouseEntrez Gene 56954 Human

Q9NQR4



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Has a omega-amidase activity. The role of omega-amidase is to remove potentially toxic intermediates by converting alpha-ketoglutaramate and alpha-ketosuccinamate to biologically useful alpha-ketoglutarate and oxaloacetate; respectively. Overexpression decreases the colony-forming capacity of cultured cells by arresting cells in the G2 phase of the cell cycle.


Synonyms: HEL-S-8a

Product images:




Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-2: Mouse liver tissue Mouse kidney tissue Primary antibody: TA321871 (NIT2 Antibody) at dilution 1/100 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 90 seconds




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA321871 (NIT2 Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA321871 (NIT2 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA321871 (NIT2 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA321871 (NIT2 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)