

## **Product datasheet for TA322602**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Acyl coenzyme A Thioesterase 8 (ACOT8) Rabbit Polyclonal Antibody

### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 15-50

Positive control: Human cervical cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** acyl-CoA thioesterase 8

Database Link: NP 005460

Entrez Gene 170588 RatEntrez Gene 170789 MouseEntrez Gene 10005 Human

<u>014734</u>

**Background:** The protein encoded by this gene is a peroxisomal thioesterase that appears to be involved

more in the oxidation of fatty acids rather than in their formation. The encoded protein can bind to the human immunodeficiency virus-1 protein Nef, and mediate Nef-induced down-regulation of CD4 in T-cells.?Acyl-CoA thioesterases are a group of enzymes that catalyze the hydrolysis of acyl-CoAs to the free fatty acid and coenzyme A (CoASH), providing the potential to regulate intracellular levels of acyl-CoAs, free fatty acids and CoASH. May mediate Nef-


induced down-regulation of CD4. Major thioesterase in peroxisomes.

Synonyms: hACTE-III; HNAACTE; hTE; NAP1; PTE-1; PTE-2; PTE1; PTE2






# **Product images:**




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322602 (ACOT8 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322602 (ACOT8 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA322602 (ACOT8 Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA322602 (ACOT8 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)