

# Product datasheet for TA322700

# **ROCK2 Rabbit Polyclonal Antibody**

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Mouse brain tissue lysate IHC: 50-200 Positive control: Human tonsil Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to C terminal 300 amino acids of human Rho-associated, coiled-coil containing protein kinase 2
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	161 kDa
Gene Name:	Rho associated coiled-coil containing protein kinase 2
Database Link:	<u>NP_004841</u> <u>Entrez Gene 19878 MouseEntrez Gene 25537 RatEntrez Gene 9475 Human</u> <u>O75116</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


# **CRIGENE** ROCK2 Rabbit Polyclonal Antibody – TA322700

Background:	The protein encoded by this gene is a serine/threonine kinase that regulates cytokinesis; smooth muscle contraction; the formation of actin stress fibers and focal adhesions; and the activation of the c-fos serum response element. This protein; which is an isozyme of ROCK1 is a target for the small GTPase Rho. Protein kinase which is a key regulator of actin cytoskeleton and cell polarity. Involved in regulation of smooth muscle contraction; actin cytoskeleton organization; stress fiber and focal adhesion formation; neurite retraction; cell adhesion and motility via phosphorylation of ADD1; BRCA2; CNN1; EZR; DPYSL2; EP300; MSN; MYL9/MLC2; NPM1; RDX; PPP1R12A and VIM. Phosphorylates SORL1 and IRF4.
Synonyms:	ROCK-II
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Axon guidance, Chemokine signaling pathway, Focal adhesion, Leukocyte transendothelial migration, Pathogenic Escherichia coli infection, Regulation of actin cytoskeleton, TGF-beta signaling pathway, Vascular smooth muscle contraction, Wnt signaling pathway

### **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Mouse brain tissue lysate Primary antibody: TA322700 (ROCK2 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 2 minutes

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA322700 (ROCK2 Antibody) at dilution 1/130 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA322700 (ROCK2 Antibody) at dilution 1/130, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US