

# **Product datasheet for TA322872**

# Tropomyosin 2 (TPM2) Rabbit Polyclonal Antibody

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: Human fetal muscle tissue IHC: 25-100 Positive control: Human esophagus cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 270-284 amino acids of human tropomyosin 2 (beta)
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	33 kDa
Gene Name:	tropomyosin 2 (beta)
Database Link:	<u>NP_003280</u> <u>Entrez Gene 22004 MouseEntrez Gene 500450 RatEntrez Gene 7169 Human</u> <u>P07951</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Tropomyosin 2 (TPM2) Rabbit Polyclonal Antibody – TA322872
Background:	This gene encodes beta-tropomyosin; a member of the actin filament binding protein family; and mainly expressed in slow; type 1 muscle fibers. Mutations in this gene can alter the expression of other sarcomeric tropomyosin proteins; and cause cap disease; nemaline myopathy and distal arthrogryposis syndromes. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
Synonyms:	AMCD1; DA1; DA2B; HEL-S-273; NEM4; TMSB
Protein Pathways	<b>s:</b> Cardiac muscle contraction, Dilated cardiomyopathy, Hypertrophic cardiomyopathy (HCM)

## **Product images:**




Gel: 10%SDS-PAGE Lysate: 40 µg Lane: Human fetal muscle tissue Primary antibody: TA322872 (TPM2 Antibody) at dilution 1/400 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 2 minutes



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322872 (TPM2 Antibody) at dilution 1/25 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322872 (TPM2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA322872 (TPM2 Antibody) at dilution 1/25 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA322872 (TPM2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US