

## **Product datasheet for TA371337**

## **Separase (ESPL1) Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human gasrtic cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human ESPL1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** extra spindle pole bodies like 1, separase

**Database Link:** Entrez Gene 9700 Human

Q14674

**Background:** Stable cohesion between sister chromatids before anaphase and their timely separation

during anaphase are critical for chromosome inheritance. In vertebrates, sister chromatid

cohesion is released in 2 steps via distinct mechanisms. The first step involves

phosphorylation of STAG1 (MIM 604358) or STAG2 (MIM 300826) in the cohesin complex. The second step involves cleavage of the cohesin subunit SCC1 (RAD21; MIM 606462) by ESPL1, or separase, which initiates the final separation of sister chromatids (Sun et al., 2009 [PubMed

19345191]).

**Synonyms:** ESP1; FLJ46492; KIAA0165; separase; separin




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA371337 (ESPL1 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA371337 (ESPL1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA371337 (ESPL1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA371337 (ESPL1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)