

Product datasheet for TA388958

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

CD14 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, WB

Recommended Dilution: Sandwich ELISA: To detect Human sCD14 by sandwich ELISA (using 100 ul/well antibody

solution) a concentration of 0.25 – 1.0 µg/ml of this antibody is required. This biotinylated polyclonal antibody, in conjunction with ProSci's Polyclonal Anti-Human sCD14 as a capture antibody, allows the detection of at least 2000-4000 pg/ml of recombinant Human sCD14.

Western Blot

To detect Human sCD14 by Western Blot analysis this antibody can be used at a

concentration of 0.1 - 0.2 ug/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant Human sCD14 is 1.5 - 3.0 ng/lane, under either reducing or

non-reducing conditions.

Reactivity: Human Rabbit

Clonality: Polyclonal

Immunogen: Produced from sera of rabbits immunized with highly pure Recombinant Human sCD14. Anti-

Human CD14-specific antibody was purified by affinity chromatography and then

biotinylated.

Concentration: lot specific

Purification: CD14-specific antibody was purified by affinity chromatography and then biotinylated

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Database Link: P08571







Background:

CD14 is a cell surface-anchored glycoprotein that is expressed predominantly by monocytes and tissue macrophages. CD14 associates with MD-2 (LY-96) and TLR4 to form a receptor complex, which signals specifically in response to bacterial lipopolysaccharide (LPS) binding. The CD14/MD-2/TLR4 receptor complex signals via MyD88, TIRAP, and TRAF6, and ultimately activates NF-kB. CD14 also exists in a soluble form, designated as sCD14, which is capable of specifically binding LPS in the extracellular space. Recombinant Human sCD14 is a 331 amino acid glycoprotein comprising the extracellular portion of the CD14 receptor. The calculated molecular weight of Recombinant Human sCD14 is 35.6 kDa.