

Product datasheet for TA505931AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Granzyme B (GZMB) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI4E4]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4E4

Applications: IF, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, IF 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 21-247 of human

GZMB(NP_004122) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 25.5 kDa

Gene Name: granzyme B

Database Link: NP 004122

Entrez Gene 3002 Human

P10144

Background: Cytolytic T lymphocytes (CTL) and natural killer (NK) cells share the remarkable ability to

recognize, bind, and lyse specific target cells. They are thought to protect their host by lysing cells bearing on their surface 'nonself' antigens, usually peptides or proteins resulting from infection by intracellular pathogens. The protein encoded by this gene is crucial for the rapid induction of target cell apoptosis by CTL in cell-mediated immune response. [provided by

RefSeq, Jul 2008]



Granzyme B (GZMB) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI4E4] – TA505931AM


Synonyms: C11; CCPI; CGL-1; CGL1; CSP-B; CSPB; CTLA1; CTSGL1; HLP; SECT

Protein Families: Druggable Genome, Protease


Protein Pathways: Allograft rejection, Autoimmune thyroid disease, Graft-versus-host disease, Natural killer cell

mediated cytotoxicity, Type I diabetes mellitus

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GZMB ([RC206495], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GZMB. Positive lysates [LY401332] (100ug) and [LC401332] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (10ug) from 3 different cell lines by using anti-GZMB monoclonal antibody (1:200).






Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-GZMB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA505931])



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-GZMB mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 120°C for 3min, [TA505931])



Anti-GZMB mouse monoclonal antibody ([TA505931]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY GZMB ([RC206495]).