

## Product datasheet for TA506347BM

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD33 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2A1]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI2A1

**Applications:** FC, IF, WB

Recommended Dilution: WB 1:4000, IF 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human CD33(NP\_001763) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 38 kDa

Gene Name: CD33 molecule

Database Link: NP 001763

Entrez Gene 945 Human

P20138

**Synonyms:** p67; SIGLEC-3; SIGLEC3


**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Hematopoietic cell lineage







## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CD33 ([RC207023], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CD33 (1:500).




Immunofluorescent staining of HeLa cells using anti-CD33 mouse monoclonal antibody ([TA506347]).




Anti-CD33 mouse monoclonal antibody ([TA506347]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY CD33 ([RC207023]).





Western blot analysis of extracts (35ug) from 1 cell line lysates by using anti-CD33 monoclonal antibody (1:500).



Flow cytometric analysis of living 293T cells transfected with CD33 overexpression plasmid ([RC207023]), Red)/empty vector ([PS100001], Blue) using anti-CD33 antibody ([TA506347]). Cells incubated with a non-specific antibody (Green) were used as isotype control (1:100).