

Product datasheet for TA804039BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Estrogen Receptor 1 (ESR1) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI2D3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2D3
Applications: IHC, WB

Reactivity: WB 1:2000, IHC 1:150 **Reactivity:** Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 1-310 of human ESR1

(NP 000116) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 66 kDa

Gene Name: estrogen receptor 1

Database Link: NP 000116

Entrez Gene 13982 MouseEntrez Gene 24890 RatEntrez Gene 2099 Human

P03372


Synonyms: ER; Era; ESR; ESRA; ESTRR; NR3A1

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ESR1 ([RC213277], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ESR1. Positive lysates [LY400046] (100ug) and [LC400046] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human breast tissue using anti-ESR1 mouse monoclonal antibody. ([TA804039])






Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human breast tissue using anti-ESR1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA804039]) (1:150)




Immunohistochemical staining of paraffinembedded Carcinoma of Human kidney tissue using anti-ESR1 mouse monoclonal antibody. ([TA804039])




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-ESR1 mouse monoclonal antibody. ([TA804039])





Immunohistochemical staining of paraffinembedded Human endometrium tissue using anti-ESR1 mouse monoclonal antibody. ([TA804039])



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-ESR1 mouse monoclonal antibody. ([TA804039])