

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA805942

MTOR Mouse Monoclonal Antibody [Clone ID: OTI5B1]

Product data:

Primary Antibodies
OTI5B1
IHC, WB
WB 1:2000
Human, Mouse, Rat
Mouse
lgG1
Monoclonal
Human recombinant protein fragment corresponding to amino acids 1766-2144 of human MTOR(NP_004949) produced in E.coli.
PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
1 mg/ml
Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Unconjugated
Store at -20°C as received.
Stable for 12 months from date of receipt.
288.7 kDa
mechanistic target of rapamycin
<u>NP_004949</u> <u>Entrez Gene 56717 MouseEntrez Gene 56718 RatEntrez Gene 2475 Human</u> <u>P42345</u>
FRAP; FRAP1; FRAP2; RAFT1; RAPT1; SKS
Druggable Genome, Protein Kinase
Acute myeloid leukemia, Adipocytokine signaling pathway, ErbB signaling pathway, Glioma, Insulin signaling pathway, mTOR signaling pathway, Pathways in cancer, Prostate cancer, Type II diabetes mellitus



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Product images:

 170
 —

 130
 —

 100
 —

 55
 —

 40
 —


 35
 —

 25
 —

 15
 —


 10
 —

Human recombinant protein fragment corresponding to amino acids 1766-2144 of human MTOR (NP_004949) produced in E.coli.



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-MTOR mouse monoclonal antibody. (Heatinduced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA805942) (1:500)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemical staining of paraffinembedded Human spleen tissue within the normal limits using anti-MTOR mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA805942) (1:500)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US