

Product datasheet for TA806739S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

FARSLB (FARSB) Mouse Monoclonal Antibody [Clone ID: OTI4B3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4B3
Applications: IHC, WB
Recommended Dilution: IHC 1:150

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human FARSB (NP_005678) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 65.9 kDa

Gene Name: phenylalanyl-tRNA synthetase beta subunit

Database Link: NP 005678

Entrez Gene 23874 MouseEntrez Gene 301544 RatEntrez Gene 10056 Human

O9NSD9

Background: This gene encodes a highly conserved enzyme that belongs to the aminoacyl-tRNA

synthetase class IIc subfamily. This enzyme comprises the regulatory beta subunits that form

a tetramer with two catalytic alpha subunits. In the presence of ATP, this tetramer is

responsible for attaching L-phenylalanine to the terminal adenosine of the appropriate tRNA. A pseudogene located on chromosome 10 has been identified. [provided by RefSeq, Jul 2008]







Synonyms: FARSLB; FRSB; HSPC173; PheHB; PheRS

Protein Pathways: Aminoacyl-tRNA biosynthesis

Product images:




Western blot analysis of extracts (10ug) from 5 different cell lines and 4 human tissue by using anti-FARSB monoclonal antibody (1: Hela; 2: HepG2; 3: K562; 4: Mcf7; 5: SVT2; 6: Liver; 7: Testis; 8: Brain; 9: Uterus) at 1:200 dilution.




Immunohistochemical staining of paraffinembedded Human skin tissue using anti-FARSB mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA806739])






Immunohistochemical staining of paraffinembedded Human adult brain tissue using anti-FARSB mouse monoclonal antibody. (Heatinduced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA806739])




Immunohistochemical staining of paraffinembedded Human melanoma tissue using anti-FARSB mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA806739])




Immunohistochemical staining of paraffinembedded Human embryonic brain cortex tissue using anti-FARSB mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA806739])





Immunohistochemical staining of paraffinembedded Human embryonic cerebellum using anti-FARSB mouse monoclonal antibody. (Heatinduced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA806739])



Immunohistochemical staining of paraffinembedded Human testicular cancer tissue using anti-FARSB mouse monoclonal antibody. (Heatinduced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, [TA806739])