

Product datasheet for TA811100BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CNPase (CNP) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3C3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3C3
Applications: IHC, WB

Recommended Dilution: WB 1:500~2000, IHC 1:500

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombiant protein of human CNP (NP_149124) produced in HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 47.4 kDa

Gene Name: 2',3'-cyclic nucleotide 3' phosphodiesterase

Database Link: NP 149124

Entrez Gene 12799 MouseEntrez Gene 25275 RatEntrez Gene 1267 Human


P09543

Synonyms: CNP1






Product images:




Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and CNP-Knockout hela cells (KO, Cat# [LC810047]) were separated by SDS-PAGE and immunoblotted with anti-CNP monoclonal antibody [TA811100]. Then the blotted membrane was stripped and reprobed with anti-HSP90AB1 antibody ([TA500494]) as a loading control (1:500).




HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY CNP (Cat# [RC207038], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CNP (1:2000) (Cat# [TA811100]). Positive lysates [LY409699] (100ug) and [LC409699] (20ug) can be purchased separately from OriGene.





Western blot analysis of extracts (35ug) from 3 different cell lines by using anti-CNP monoclonal antibody (1:500).



Immunohistochemical staining of paraffinembedded Human embryonic cerebellum within the normal limits using anti-CNP mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, [TA811100]) (1:500)