

## **Product datasheet for TL314189**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Caspase 5 (CASP5) Human shRNA Plasmid Kit (Locus ID 838)

**Product data:** 

**Product Type:** shRNA Plasmids

Product Name: Caspase 5 (CASP5) Human shRNA Plasmid Kit (Locus ID 838)

Locus ID: 838

Synonyms: ICE(rel)III; ICEREL-III; ICH-3

Vector: pGFP-C-shLenti (TR30023)

E. coli Selection: Chloramphenicol (34 ug/ml)

Mammalian Cell

Selection:

Puromycin

Format: Lentiviral plasmids

**Components:** CASP5 - Human, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 838).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

**RefSeq:** <u>NM 001136109</u>, <u>NM 001136110</u>, <u>NM 001136111</u>, <u>NM 001136112</u>, <u>NM 004347</u>, <u>NR 024239</u>,

NR 036562, NM 004347.1, NM 004347.2, NM 004347.3, NM 001136112.1, NM 001136109.1,

NM 001136110.1, NM 001136111.1, BC074994, BC074994.2, BC113406, NM 004347.5,

NM 001136110.2, NM 001136112.2, NM 001136109.2

UniProt ID: P51878

**Summary:** This gene encodes a member of the cysteine-aspartic acid protease (caspase) family.

Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. Overexpression of the active form of this enzyme induces apoptosis in fibroblasts. Max, a central component of the Myc/Max/Mad transcription regulation network important for cell growth, differentiation, and apoptosis, is cleaved by this protein; this process requires

Fas-mediated dephosphorylation of Max. The expression of this gene is regulated by

interferon-gamma and lipopolysaccharide. Alternatively spliced transcript variants have been

identified for this gene. [provided by RefSeq, Aug 2010]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.





## Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).