

Product datasheet for TP304020L

Ubiquilin (UBQLN1) (NM_053067) Human Recombinant Protein

Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human ubiquilin 1 (UBQLN1), transcript variant 2, 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC204020 protein sequence Red =Cloning site Green =Tags(s)
	<p>MAESGESGGPPGSQDSAAGAEGAGAPAAAASAEPKIMKVTVKTPKEKEEFAVPENSSVQQFKEEISKRFK SHTDQLVLIFAGKILKDQDTLSQHGIHDGLTVHLVIKTQNRPDHSAQQTNTAGSNVTTSSTPNSNSTSG SATSNPFGLGGLGGLAGLSSGLNNTNFSELQSQMQRQLLSNPEMMVQIMENPFVQSMLSNDLMRQLIM ANPQMQLIQRNPEISHMLNNDIMRQTLELARNPAMMQEMMRNQDRALSLESIPGGYNALRRMYTDIQ EPMLSAAQEFGGNPFASLVSNSTSSGEGSQPSRTENRDPLPNPWAPQTSQSSSASTASTVGGTTGSTA SGTSGQSTTAPNLVPGVGASMFNTPGMQSLQITENPQLMQNMLSAPYMRSMMSQSLSQNPDLAAQMNP DTLSAMSNPRAMQALLQIQQLQTLATEAPGLIPGFTPLGALGSTGGSSGTNGSNATPSENTSPTAGTT EPGHQQFIQMLQALAGVNPQLQNPEVRFQQQLEQLSAMGFLNREANLQALQIATGGDINAAIERLLGSQP S</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	59 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_444295
Locus ID:	29979
UniProt ID:	Q9UMX0 , A0A024R258
RefSeq Size:	4093
Cytogenetics:	9q21.2-q21.3
RefSeq ORF:	1683
Synonyms:	DA41; DSK2; PLIC-1; UBQN; XDRP1
Summary:	This gene encodes an ubiquitin-like protein (ubiquilin) that shares a high degree of similarity with related products in yeast, rat and frog. Ubiquilins contain an N-terminal ubiquitin-like domain and a C-terminal ubiquitin-associated domain. They physically associate with both proteasomes and ubiquitin ligases, and thus are thought to functionally link the ubiquitination machinery to the proteasome to affect in vivo protein degradation. This ubiquilin has also been shown to modulate accumulation of presenilin proteins, and it is found in lesions associated with Alzheimer's and Parkinson's disease. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]
Protein Families:	Druggable Genome

Product images:



Coomassie blue staining of purified UBQLN1 protein (Cat# [TP304020]). The protein was produced from HEK293T cells transfected with UBQLN1 cDNA clone (Cat# [RC204020]) using MegaTran 2.0 (Cat# [TT210002]).