

Product datasheet for **TP322485**

ALK (NM_004304) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human anaplastic lymphoma receptor tyrosine kinase (ALK), 20 µg
Species:	Human
Expression Host:	HEK293T



[View online »](#)

Expression cDNA >RC222485 representing NM_004304
Clone or AA **Red**=Cloning site **Green**=Tags(s)
Sequence:



MGAIGLLWLLPLLLSTAAVSGSMGTGQRAGSPAAGPPLQPREPLSYSRLQRKSLAVDFVWPSLFRVYARD
 LLLPPSSSELKAGRPEARGLALDCAPLLRLLGPAPGVSWTAGSPAPAEARTLSRVLKGGSVRKLRRAKQ
 LVLELGEEAILEGCVGPPGEAAVGLLQFNLSLFSWWIRQEGEGLRIRLMPEKKASEVGREGRLSAAIRA
 SQPRLLFQIFGTGHSSLESPTNMPSPSPDYFTWNLTWIMKDSFPFLSHRSRYGLECSDFPCELEYSPL
 HDLRNQSWSWRRIPSEESQMDLLDGPGAERSKEMPRGSFLLLNTSADSKHTILSPWMRSSSEHCTLAVS
 VHRHLQPSGRYIAQLLPHNEAAREILLMPTPGKHGWTVLQGRIGRPDNPFRVALEYISSGNRSLSAVDFF
 ALKNCSEGTSPGSKMALQSSFTCWNGTVLQLGQACDFHQDCAQGEDESQMCRKLPVGFYCNFEDGFCGW
 QGTLSPHTPQWQVRTLKDARFQDHQDHALLSTTDVPAESATVTSATFPAPIKSSPCELMSWLIRGVL
 RGNVSLVLVENKTGKEQGRMVHVAAYEGLSLWQWMVLLDVSDFWLQMVAVWGWQGSRAIVAFDNISI
 SLDCYLISGEDKILQNTAPKSRNLFERNPNKELKPGENSPRQTPIFDPTVHWLFTTCGASGPHGPTQAQ
 CNNAYQNSNLSVEVGSEGPLKGIQIWKVPATDTYSISGYGAAGGKGGKNTMMRSHGVSVLGIFNLEKDDM
 LYILVGQQGEDACPSTNQLIQKVICGENNVIEEIRVNRVHEWAGGGGGGGGATYVFKMKDGPVPLII
 AAGGGGRAYGAKTDTFHPERLENNSSVLGLNGNSGAAGGGGGWINDNTSLLWAGKSLQEGATGGHSCPQAM
 KKWGWETRGGFGGGGGGGCSSGGGGGGYIGGNAASNNDPEMDGEDGVSFISPLGILYTPALKVMEGHGEVN
 IKHYLNCSHCEVDECHMDPESHKVICFDHGTVAEDGVSCIVSPTPEPHLPLSLILSVVTSALVAALVL
 AFGMIMIVYRRKHQELQAMQEMELQSPEYKLSKLRSTIMTDYNPNYCFAGKTSSISDLKEVPRKNITLIR
 GLGHGAFGEVYEQVSGMPNDPSPLQVAVKTLPEVCSEQDELDFLMEALIISKFNHQIVRCIGVSLQSL
 PRFILLELMAGGDLKSFLRETRPRPSQPSSLAMLDLLHWARDIACGCQYLEENHFHRIARDIAARNCLLTC
 GPGRVAKIGDFGMARDIYRASYRKGCCAMLPVKWMPPEAFMEGIFTSKTDTSWFGVLLWEIFSLGYMPY
 PSKSNQEVLEFVTSGGRMDDPPKNCPPVYRIMTQCWQHQPEDRPNFAILERIEYCTQDPDVINTALPIE
 YGPLVEEEEKVPVRPKDPEGVPLLVSQAKREEERSPAAPPPLTTSSGKAAKPTAAEVSVRVRPGA
 VEGGHVNMAFSQSNPPSELHRVHGSRNKPTSLWNPTYGSWFTEKPTKKNPIAKKEPHERGNLGLEGSCT
 VPPNVATGRLPGASLLLEPSSLTANMKEVPLFRLRHFPFCGNVNYGYQQQLPLEAATAPGAGHYEDTILK
 SKNSMNQPGP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 176.3 kDa
Concentration: >0.05 µg/µL as determined by microplate BCA method
Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Bioactivity:	ALK activity verified in a biochemical assay: ALK (anaplastic lymphoma receptor tyrosine kinase) (TP322485) activity was measured in a homogeneous time-resolved fluorescent (HTRF®) assay. ALK is an orphan receptor protein-tyrosine kinase having a putative transmembrane domain and an extracellular domain. Varying concentrations of ALK were added to a reaction mix containing ATP and a biotinylated kinase substrate and the reaction mixture was incubated to allow the protein to phosphorylate the substrate. HTRF detection reagents were then added, and the time-resolved fluorescent signal was measured on a Flexstation 3 microplate reader. The time resolved fluorescent signal is expressed as “delta R” or “ΔR” and is a ratio calculated from the fluorescent emission intensities of the donor and acceptor fluors.
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_004295
Locus ID:	238
UniProt ID:	Q9UM73 , B6D4Y2
RefSeq Size:	6222
Cytogenetics:	2p23.2-p23.1
RefSeq ORF:	4860
Synonyms:	CD246; NBLST3
Summary:	This gene encodes a receptor tyrosine kinase, which belongs to the insulin receptor superfamily. This protein comprises an extracellular domain, an hydrophobic stretch corresponding to a single pass transmembrane region, and an intracellular kinase domain. It plays an important role in the development of the brain and exerts its effects on specific neurons in the nervous system. This gene has been found to be rearranged, mutated, or amplified in a series of tumours including anaplastic large cell lymphomas, neuroblastoma, and non-small cell lung cancer. The chromosomal rearrangements are the most common genetic alterations in this gene, which result in creation of multiple fusion genes in tumourigenesis, including ALK (chromosome 2)/EML4 (chromosome 2), ALK/RANBP2 (chromosome 2), ALK/ATIC (chromosome 2), ALK/TFG (chromosome 3), ALK/NPM1 (chromosome 5), ALK/SQSTM1 (chromosome 5), ALK/KIF5B (chromosome 10), ALK/CLTC (chromosome 17), ALK/TPM4 (chromosome 19), and ALK/MSN (chromosome X).[provided by RefSeq, Jan 2011]
Protein Families:	Druggable Genome, Protein Kinase

Product images:



Coomassie blue staining of purified ALK protein (Cat# TP322485). The protein was produced from HEK293T cells transfected with ALK cDNA clone (Cat# [RC222485]) using MegaTran 2.0 (Cat# [TT210002]).