

Product datasheet for **TP701119**

SARS-CoV-2 Spike-Membrane Recombinant Fusion Protein (Bioactivity Verified)


Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant fusion protein that includes the RBD of SARS-CoV-2 Spike protein (S-Protein) and Virion Surface Domain of Membrane Protein (M-protein) with C-terminal HIS-tag
Species:	SARS-CoV-2
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	MALWIDRMQL LSCIALSLAL VTNSAKGIYQ TSNFRVQPT E SIVRFPNITN LCPFGEVFNA TRFASVYAWN RKRISNCVAD YSVLYNSASF STFKCYGVSP TKLNDLCFTN VYADSFVIRG DEVRQIAPGQ TGKIADYNYK LPDDFTGCVI AWNSNNLDSK VGGNYNYLYR LFRKSNLKP F ERDISTEIQ AGSTPCNGVE GFNCYFPLQS YGFQPTNGVG YQPYRVVLS FELLHAPATV CGPKKSTNLV KNKCVNFNFN GLTGTGVLTE SNKKFLGGGS GGGSMADSNG TITVEELKKH HHHHH
Tag:	C-HIS
Predicted MW:	34 kDa
Concentration:	>0.05 µg/µL as determined by Bradford protein assay method.
Purity:	> 90% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	PBS, 10% glycerol
Bioactivity:	Binding of SARS-CoV-2 S-M Fusion Protein to Human ACE2: 2 ug/ml of SARS-CoV-2 Spike and Membrane viral fusion protein (gel insert) was immobilized on an ELISA plate and its ability to bind to Human ACE2 was measured. The EC50 was between 10-20 ng/ml.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.




[View online »](#)


Product images:



Purified recombinant protein S-M protein was analyzed by SDS-PAGE gel and Coomossie Blue Staining.



Binding activity measured by ELISA: Immobilized SARS-CoV-2 Spike Membrane Fusion Protein (RBD of S-Protein and Virion Surface Domain of M-Protein with His Tag; Cat.No. TP701119) at 2 µg/mL (100 µL/well) can bind to Human ACE2 Fc Tag (Cat.No. [TP701115]), the EC50 of the human ACE2 protein is 10-20 ng/ml.



ELISA plates were coated with anti-HIS (Cat# [TA150088]) as capture antibody. HIS-tagged SARS-CoV-2 Spike-membrane recombinant fusion protein (Cat# TP701119) was then added as substrate. Human anti-S antibody (Cat# [TA190325]) with concentration of 0.05 ug/ml against SARS-CoV-2 Spike protein RBD was applied for detection. HRP assay was used for readout. Coating with anti-DDK antibody (Cat# [TA50011-100]) was served as negative control.