

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TP720030L

TL1A (TNFSF15) (NM_005118) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human tumor necrosis factor (ligand) superfamily, member 15 (TNFSF15) / isoform 2
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	Met1-Leu192
Tag:	tag free
Predicted MW:	21.9 kDa
Concentration:	lot specific
Purity:	>95% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	Provided lyophilized from a 0.2 μ m filtered solution of 20 mM Tris-HCl, 150 mM NaCl
Bioactivity:	ED50 is less than 5 μ g/ml as determined by the dose-dependent inhibition of the proliferation of HUVEC cells.
Endotoxin:	< 0.1 EU per μ g protein as determined by LAL test
Reconstitution Method:	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. Dissolve the lyophilized protein in ddH2O. It is not recommended to reconstitute a concentration less than 100 µg/ml. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Storage:	Store at -80°C.
Stability:	Stable for at least 6 months from date of receipt under proper storage and handling conditions.
RefSeq:	<u>NP 005109</u>
Locus ID:	9966
UniProt ID:	<u>095150</u>
Cytogenetics:	9q32
Synonyms:	TL1; TL1A; TNLG1B; VEGI; VEGI192A



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE TL1A (TNFSF15) (NM_005118) Human Recombinant Protein – TP720030L

Summary:The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor
(TNF) ligand family. This protein is abundantly expressed in endothelial cells, but is not
expressed in either B or T cells. The expression of this protein is inducible by TNF and IL-1
alpha. This cytokine is a ligand for receptor TNFRSF25 and decoy receptor TNFRSF21/DR6. It
can activate NF-kappaB and MAP kinases, and acts as an autocrine factor to induce apoptosis
in endothelial cells. This cytokine is also found to inhibit endothelial cell proliferation, and
thus may function as an angiogenesis inhibitor. Two transcript variants encoding different
isoforms have been found for this gene. [provided by RefSeq, Feb 2011]

Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Cytokine-cytokine receptor interaction

Product images:



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US