

Product datasheet for UM800020

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

FOXP1 Mouse Monoclonal Antibody [Clone ID: UMAB89]

Product data:

Product Type: Primary Antibodies

Clone Name: UMAB89

Applications: 10k-ChIP, IHC, WB **Recommended Dilution:** IHC 1:100, IF 1:100

Reactivity: Human, Mouse, Rat, Monkey

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human FOXP1 (NP_116071) produced in SF9 cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5~1.0 mg/ml (Lot Dependent)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 75.1 kDa

Gene Name: forkhead box P1

Database Link: NP 116071

Entrez Gene 108655 MouseEntrez Gene 297480 RatEntrez Gene 27086 Human

Q9H334

Background: This gene belongs to subfamily P of the forkhead box (FOX) transcription factor family.

Forkhead box transcription factors play important roles in the regulation of tissue- and cell type-specific gene transcription during both development and adulthood. Forkhead box P1 protein contains both DNA-binding- and protein-protein binding-domains. This gene may act as a tumor suppressor as it is lost in several tumor types and maps to a chromosomal region

(3p14.1) reported to contain a tumor suppressor gene(s). Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul







Synonyms: 12CC4; hFKH1B; HSPC215; MFH; QRF1

Protein Families: Transcription Factors

Product images:




Immunohistochemical staining of paraffinembedded Human prostate tissue using anti-FOXP1 mouse monoclonal antibody. (UM800020; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)





Immunohistochemical staining of paraffinembedded Carcinoma of Human bladder tissue using anti-FOXP1 mouse monoclonal antibody. (UM800020; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)






Immunohistochemical staining of paraffinembedded Human tonsil using anti-FOXP1 mouse monoclonal antibody. (UM800020; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)






Immunohistochemical staining of paraffinembedded human lung cancer using anti-FOXP1 clone UMAB89 mouse monoclonal antibody at 1:200 dilution of 1.0 mg/mL using Polink2 Broad HRP DAB for detection. UM800020 requires HIER with with citrate pH6.0 at 110°C for 3min using pressure chamber/cooker. The panel A shows negative tumor cells of lung carcinoma and panel B strong nuclear staining in the tumor cells.




Immunohistochemical staining of paraffinembedded mouse lung tissue using anti-FOXP1 clone UMAB89 mouse monoclonal antibody. HIER ACCEL buffer ([B22C-125]) (pH8.7) at 110C for 10 min, UM800020 (1:100). Detection was done with Klear Mouse (C/N [D52-18]) DAB Kit.






Immunohistochemical staining of paraffinembedded mouse spleen tissue using anti-FOXP1 clone UMAB89 mouse monoclonal antibody. HIER ACCEL buffer ([B22C-125]) (pH8.7) at 110C for 10 min, UM800020 (1:100). Detection was done with Klear Mouse (C/N [D52-18]) DAB Kit.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-FOXP1 monoclonal antibody (Clone UMAB89).



Western blot of human tissue lysates (15ug) from 10 different tissues (1: Testis, 2: Omentum, 3: Uterus, 4: Breast, 5: Brain, 6: Liver, 7: Ovary, 8: Thyroid, 9: Colon, 10: Spleen). Diluation: 1:500.





OriGene overexpression protein microarray chip was immunostained with UltraMAB anti-FOXP1 mouse monoclonal antibody (UM800020). The positive reactive proteins are highlighted with two red arrows in the enlarged subarray. All the positive controls spotted in this subarray are also labeled for clarification.