

Product datasheet for RC207622L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

D aspartate oxidase (DDO) (NM_003649) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: D aspartate oxidase (DDO) (NM_003649) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: D aspartate oxidase

Synonyms: DASOX; DDO-1; DDO-2

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

Sgfl-Mlul

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC207622).


Sequence:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf 1 ORF Mlu I

--- GCG ATC GCC ATG ---//--- NNN ACG CGT ---



st The last codon before the Stop codon of the ORF.

ACCN: NM_003649

ORF Size: 1107 bp



D aspartate oxidase (DDO) (NM_003649) Human Tagged Lenti ORF Clone - RC207622L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 003649.2</u>

RefSeq Size:1733 bpRefSeq ORF:1110 bpLocus ID:8528

Cytogenetics: 6q21

Domains: DAO

UniProt ID:

Protein Pathways: Alanine, aspartate and glutamate metabolism

Q99489

MW: 41 kDa


Gene Summary: The protein encoded by this gene is a peroxisomal flavoprotein that catalyzes the oxidative

deamination of D-aspartate and N-methyl D-aspartate. Flavin adenine dinucleotide or 6-hydroxyflavin adenine dinucleotide can serve as the cofactor in this reaction. Several transcript variants encoding different isoforms have been found for this gene. [provided by


RefSeq, Jan 2019]



Product images:



Circular map for RC207622L1



Double digestion of RC207622L1 using Sgfl and Mlul $\,$