

Product datasheet for TA500281AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

SOX17 Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI2B6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2B6

Applications: IF, IHC, WB

Recommended Dilution: WB 1:1000; IHC 1:50

Reactivity: Human, Dog, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Recombinant protein expressed in E.coli corresponding to amino acids 177-414 of human

SOX17

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 43.9 kDa

Gene Name: SRY-box transcription factor 17

Database Link: NP 071899

Entrez Gene 20671 MouseEntrez Gene 312936 RatEntrez Gene 486955 DogEntrez Gene 64321

Human Q9H6I2

Background: SOX17 is a member of the SOX (SRY-related HMG-box) family of transcription factors involved

in the regulation of embryonic development and in the determination of the cell fate. It may

act as a transcriptional regulator after forming a protein complex with other proteins

Synonyms: VUR3







Protein Families: Transcription Factors

Protein Pathways: Wnt signaling pathway

Product images:







HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SOX17 ([RC220888], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SOX17. Positive lysates [LY411669] (100ug) and [LC411669] (20ug) can be purchased separately from OriGene.

Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SOX17 monoclonal antibody.






Immunohistochemical staining of paraffinembedded Human endometrium tissue within the normal limits using anti-SOX17 mouse monoclonal antibody. ([TA500281]). Dilution Factor: 1:50; heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min.



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human endometrium tissue using anti-SOX17 mouse monoclonal antibody. ([TA500281]). Dilution Factor: 1:50; heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min.



Anti-SOX17 mouse monoclonal antibody ([TA500281]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SOX17 ([RC220888]).